


Product and Cut-out Dimensions

Plate Warmer and Coffee System




EGW 4060-14 & CVA615



Location Codes
E1 - Plugged electrical main connects left back side (NEMA 5-15P).
O1 - Standard 110 Volt - 15 Amp outlet. Location must be accessible.
E2- Plugged electrical main connects left back side (NEMA 5-15P)
O2 - Standard 110 Volt - 15 Amp outlet. Location must be accessible.
Notes
• All installations must be done in accordance with local codes.

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 011105




Product and Cut-out Dimensions
Plate Warmer and Steam Oven
EGW 4060-14 & DG4080



Location Codes
E1 - 5 foot electrical main with plug connects top center.
O1 - 208-240 Volt - 15 Amp - 3-wire connection box with NEMA 6-15R. Location must be accessible.
E2- 5 foot - 120 Volt - 15 Amp 3-wire molded plug connects left upper rear.
O2 - Standard NEMA 5-15R outlet. Location must be accessible.
Notes
• All installations must be done in accordance with local codes.

NOTE: Drawing is not to scale.
SPECIFICATION SHEETS 011105

Product and Cut-out Dimensions
Plate Warmer and Speed Oven
EGW 4060-14 & H4080BM



Location Codes
E1 - 5 foot electrical main with plug connects top center.
O1 - 208-240 Volt - 20 Amp - 4-wire connection box with NEMA 14-30R. Location must be accessible.
E2- 5 foot - 120 Volt - 15 Amp 3-wire molded plug connects left upper rear.
O2 - Standard NEMA 5-15 outlet. Location must be accessible.
Notes
• All installations must be done in accordance with local codes.