

Fresh ideas for your home



LIEBHERR

Quality, Design and Innovation



The Liebherr Group

4



Service, Benefits, Innovations

6



BioFresh

12



Model overview

17



Freestanding / Semi built-in

18




Built-In

40



Fully Integrated / Seamless

48



Wine Cabinets

66



Design and Lifestyle

82

Family Owned – Successful Worldwide



Aerospace & transportation systems




Mining



Construction machines



Material handling technology



Tower, mobile construction & maritime cranes



Refrigeration & freezing

The Liebherr family business was established in 1949 by Hans Liebherr.

The invention of the first mobile tower crane is synonymous with the founding of the Liebherr company.

Liebherr is a 3rd generation, family owned company garnering worldwide success. But it is not only one of the world's largest manufacturers of construction machinery, it also enjoys success in many other industries. Today eleven divisions of the Liebherr Group and the wide product range are the result of decades of experience as well as comprehensive and skilled knowledge.

Liebherr employs a workforce of nearly 40.000 and comprises more than 130 companies in over 50 countries worldwide.

It is Europe's largest privately owned manufacturer of refrigerators and freezers, for domestic as well as commercial use, with an annual production of more than 2.1 million units.

North American Based



Liebherr in Burlington Ontario, Canada

Liebherr – A world leader in premium refrigeration

Headquartered in Germany, the Liebherr Domestic Appliances division provides the widest range of refrigeration and freezing in Europe.

In the 1970s Liebherr expanded to the America's and currently operates twelve companies within the United States.

Liebherr Parts and Service for USA and Canada

Customer Service Number for USA:
+1 (800) LIEBHERR (543-2437)

Customer Service Number for Canada:
+1 (888) LIEBHERR (543-2437)



You will find the latest information on the current product range of Liebherr freestanding, built-in as well as fully integrated refrigerators and freezers on our website. Brochures are available for download.

View our website:

www.liebherr-appliances.com

or mobile site:

m.refrigeration.liebherr.us

- Operating manuals
- Design and Installation Guides
- Energy Tags
- 2D and 3D Files



Liebherr Warranty Plan



A Liebherr is designed to preserve your food – and your satisfaction. That's why we offer a warranty that meets or beats most leading brands. Here's how ours works:

Full Two-Year Warranty

For two years from the date of original purchase, your Liebherr warranty covers all parts and labor to repair or replace any part of the product which proves to be defective in materials or workmanship.

Full Five-Year Warranty

For five years from the date of original purchase, your Liebherr warranty covers all parts and labor to repair or replace any components that prove to be defective in materials or workmanship in the sealed system. The "Sealed System" means only the compressor, condenser, evaporator, drier and all connecting tubing.

Limited 6th through 12th-Year Warranty

From the 6th through 12th year from the date of original purchase, your Liebherr Warranty covers all parts that prove to be defective in materials or workmanship in the sealed system (parts only).

German engineered benefits



Craftsmanship

- German and Austrian manufacturing
- Latest production processes
- High quality materials
- Perfectly detailed finishes
- SuperQuiet operation

BioFresh

- Versatile storage for long term freshness
- Retains foods healthy vitamins, aroma and appetizing appearance
- Eat healthy and seasonally
- Discover less waste



DuoCooling

- Dedicated cooling circuits for each compartment
- Superior performance and efficiency
- Better food preservation



Performance and Efficiency



Energy Star and Beyond

Liebherr refrigerators help to produce less energy waste and greenhouse gas emissions with the aim to have the least damaging effect on the environment and offering solutions that help consumers conserve energy.

ActiveGreen Initiative

A concept that best represents Liebherr's commitment to finding greener ways to produce quality, sustainable products. Liebherr was the first refrigeration manufacturer to be RoHS compliant worldwide by restricting the use of hazardous substances. Energy efficiency is at the core of our ActiveGreen commitment, which is reflected in every aspect of our design and manufacturing process.

Leader in Green Manufacturing

Liebherr has an established history of responsible production initiatives with the aim to have the least damaging effect on the environment by significantly decreasing the use of chemicals, solvents and energy consumption. An industry trailblazer in green manufacturing; Liebherr utilizes progressive practices such as recovering and reutilizing energy to heat buildings, using 100% recyclable packaging as well as using purifying water in production ensuring it is pollution free.

Quality Standards

Liebherr domestic appliances are produced under the highest international quality standard – ISO 9001 and are compliant with the international environmental management standard – ISO 14001.

Innovative Ideas

Liebherr integrates style, function and technology: BioFresh, SuperCool, SuperFrost and DuoCooling are just a few examples of performance features that contribute to better food preservation.

DuoCooling – dedicated Cooling Circuits

DuoCooling provides superior performance and efficiency as well as better food preservation. The dual refrigeration system creates optimal conditions in both the refrigerator and freezer which lengthens the shelf life of food items for a healthier lifestyle. Liebherr keeps your fresh food tasting like it should. This technology also preserves the flavor and texture of foods since there is no transfer of unwanted air, moisture or food aroma between the two compartments.

Experience Super Freshness with BioFresh

Keeping your food fresh in a Liebherr is easy. BioFresh guarantees the perfect climate for super-long-term freshness. Through its advanced technology the temperature is kept at just above freezing. Each drawer can be used individually and provides ideal humidity – **HydroSafes** with high humidity or **DrySafes** with low humidity – for a versatile storage solution of meats and cheeses as well as fruits and vegetables. Independent studies confirm, for example, that there is an increase in the vitamin C content of many types of food when they are stored in the BioFresh safe. The natural loss of moisture in fruit and vegetables is significantly reduced. It's simple: fresh is better.



Freshness Perfected with BioFresh

Liebherr's BioFesh technology contributes to a healthy diet and wellbeing in addition to offering convenience that fits with your busy lifestyle. Nature offers a whole range of essential nutrients vitamins, minerals and carbohydrates to give us energy. However, the right temperature and ideal humidity conditions are essential if food is to retain its healthy properties and delicate flavours as long as possible. Liebherr's patented BioFresh technology provides perfect freshness for all types of food and delivers impressive long lasting preservation as well as day-to-day convenience.


The Liebherr BioFresh App



biofresh.liebherr.com

It provides the ultimate tool for all health conscious food lovers to easily access valuable information regarding food storage, vitamins, minerals and shelf life.

* The information relates to storage in a BioFresh drawer compared to a conventional fridge.





HCB 2060



	Freestanding / Semi Built-in	Built-in Stainless Steel	Fully Integrated Seamless	Wine & Undercounter	Design & Lifestyle
◀17"▶					WS 1200* p. 85 XS 200 p. 85
◀24"▶	CS 1200 p. 23 CS 1311 p. 25/36 CS 1360 p. 25/36	BF 1061 p. 43 R 1410 p. 43 RB 1410 p. 45/46 F 1051 p. 45 WF 1061 p. 46	HC 1030 p. 52 HC 1070 p. 52 HCB 1080 p. 52 HCB 1060 p. 54 HF 861 p. 65 HRB 1120 p. 65	HWS 1800* p. 69 WU 3400* p. 72 WUgb 3400* p. 71 WU 4500* p. 74 RU 510 p. 77 RO 510 p. 78	
◀28"▶				WS 17800* p. 81	
◀30"▶	CS 1400 p. 26 CS 1611 p. 30/39 CS 1640 p. 29 CS 1660 p. 30/39		HC 1540 p. 58 HC 1541 p. 58 HC 1550 p. 58 HCB 1560 p. 57 HCB 1561 p. 57		
◀36"▶	CS 2060 p. 33 CS 2061 p. 33 CS 2062 p. 35 CBS 2062 p. 35		HC 2060 p. 60 HC 2061 p. 60 HC 2062 p. 63 HCB 2060 p. 60 HCB 2061 p. 60 HCB 2062 p. 63		
◀48"▶	SBS 26S1 p. 36	SBS 241 p. 43 SBS 243 p. 45 SBS 246 p. 46	SBS 19H1 p. 65		
◀60"▶	SBS 32S1 p. 39				

* Wine models are intended for storing wine exclusively. Maximum indicated bottle capacity is based on Bordeaux bottles (0.75 l) Vinidor / GrandCru as per norm NF H 35-124 (H:300.5 mm, Ø 76.1 mm)

Exclusive cabinet-depth Freestanding/Semi built-in

Design Options

Stand alone



Stainless steel side wall



Semi built-in



The Freestanding Advantages



Smart Steel

SmartSteel: Available on select freestanding/semi built-in models significantly reduces the visibility of fingerprints and is very easy to clean and scratch resistant. All that is required to maintain this beautiful exterior is the wipe of a clean dry or damp cloth.



Soft System

SoftSystem: Automatic self-closing doors from 45 degrees eliminates slamming even when fully loaded.



Vario Space

VarioSpace: All freezers include drawers and glass shelves that can be conveniently removed to create extra storage space. It's Liebherr's very practical solution to quickly accommodate even bulky items.



Swing Line

SwingLine: The practical Slimline door handles with integrated opening mechanism in stainless steel are fitted at a convenient height for easy opening.



Bio Fresh

BioFresh Safes: This ultimate freshness compartment keeps food at the optimum temperature and humidity to stay fresher longer; helping you eat healthy and seasonally as well as waste less and save money.



Super Cool

Super Frost

SuperCool/SuperFrost: Simply quick chill and/or freeze fresh groceries to preserve optimum freshness and seal in flavors, textures as well as maintain essential vitamins and minerals.



Water Filtration

Water filtration: The activated carbon filter ensures pure water to produce perfectly fresh ice cubes. The precise electronic control will indicate when the filter needs to be replaced.



Bottle shelf: The versatile glass/bottle shelf can be interchanged depending on your personal preference. Utilize the glass layer for additional shelf storage or simply move glass plate beneath to access bottle rack to chill and store beverages instead.



Freestanding / Semi built-in

◀24"▶

The compact combination **CS 1200** offers a smaller footprint for installations having upper cabinets, yet encompassing all the great features and benefits of a Liebherr. Enjoy ample storage space thanks to the smart interior design.



CS 1200 Comfort NoFrost






Energy consumption	
in 365 days kWh	395
Estimated Yearly Energy Cost in US \$	47*
Capacity	
Total capacity cu.ft. (l)	11.4 (325)
Refrigerator comp. cu.ft. (l)	8.1 (231)
NoFrost Freezer comp. cu.ft. (l)	3.3 (94)
Shipping weight lbs. (kg)	193.6 (87.8)
Climate rating	SN-T
Sound rating dB(A)	43**
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	71-9/16" / 23-5/8" / 24-13/16"
in cm H/W/D	181.7/60/63
Cut out dimensions	
in inches H/W/D	73"/23-3/4"/24"
in cm H/W/D	198.8/60.3/61
Energy supply	
Voltage V/Hz	115/60

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3



Freestanding / Semi built-in

◀24"▶

The slim styling and urban design of the **CS 1360** make it the perfect choice for small spaces, galley kitchens, condos and apartments. Being the most energy efficient in its class, the sleek 24" unit has unique features such as a LED light column in the refrigerator that does double duty as a shelf support and a flexible VarioBox on the door that can be taken right to the kitchen table. Small can be spacious. Smart interior design features like the beverage rack, foldable glass shelf, and gallon holders for large containers maximize the space. And on the exterior, Liebherr's new SmartSteel material is scratch resistant and makes fingerprints virtually disappear.

Alternatively, this tower can be flawlessly built into kitchen cabinets to fit personalized designs and a look that reflects your lifestyle. Liebherr offers an exterior water filter as an accessory for **CS 1360** that can be placed into the cabinetry above or beside the unit.

CS 1360 Premium NoFrost










Energy consumption	
in 365 days kWh	491
Estimated Yearly Energy Cost in US \$	59*
Capacity	
Total capacity cu.ft. (l)	13 (369)
Refrigerator comp. cu.ft. (l)	9.7 (275)
NoFrost Freezer comp. cu.ft. (l)	3.3 (94)
Shipping weight lbs. (kg)	215.4 (97.7)
Climate rating	SN-T
Sound rating dB(A)	41**
Ice cube output lbs. (kg) / 24h	1.8 (0.8)
Ice cube stock lbs. (kg)	3.3 (1.5)
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	79-3/16"/23-5/8"/24-13/16"
in cm H/W/D	201.1/60/63
Cut out dimensions	
in inches H/W/D	80"/23-7/8"/24"
in cm H/W/D	203.2/60.6/61
Energy supply	
Voltage V/Hz	115/60

This unit is also available as
CS 1311: door hinges left, without IceMaker

Energy consumption	
in 365 days kWh	406
Estimated Yearly Energy Cost in US \$	49*

Accessories	
Water filter	7440002-00
External water filter kit	9096034-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3

◀30"▶ **Freestanding/Semi built-in**

Show off the beautiful exterior of the freestanding **CS 1400** with ergonomic handles, beveled edges and the easy to clean SmartSteel finish that is scratch resistant and makes fingerprints virtually disappear. If a custom look is what you are trying to achieve, simply semi build-in this elegant and compact cabinet depth model.



CS 1400 Premium NoFrost



Energy consumption	
in 365 days kWh	414
Estimated Yearly Energy Cost in US \$	50*
Capacity	
Total capacity cu.ft. (l)	14 (396)
Refrigerator comp. cu.ft. (l)	11 (312)
NoFrost Freezer comp. cu.ft. (l)	3 (84)
Shipping weight lbs. (kg)	262.3 (119)
Climate rating	SN-T
Sound rating dB(A)	43**
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	73-1/4" / 29-9/16" / 24-13/16"
in cm H/W/D	186 / 75 / 63
Cut out dimensions	
in inches H/W/D	74"/30"/24"
in cm H/W/D	187.3/75.6/61
Energy supply	
Voltage V/Hz	115/60

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3



Freestanding / Semi built-in

◀ 30" ▶

The European styling of **CS 1640** incorporates clean, simple lines and smart storage options that fits with your busy lifestyle. Liebherr's signature SmartSteel finish requires less maintenance and cleaning. The well appointed internal water tank for ice production essentially eliminates the need for a water connection. Whether you fancy a cold drink or you're having a big party, the IceMaker automatically keeps your supplies topped up.

CS 1640 Premium NoFrost



No Frost

Duo Cooling

Ice Maker

Smart Steel

Soft System



Energy consumption

in 365 days kWh	514
Estimated Yearly Energy Cost in US \$	62*

Capacity

Total capacity cu.ft. (l)	15.2 (431)
Refrigerator comp. cu.ft. (l)	11 (312)
NoFrost Freezer comp. cu.ft. (l)	4.2 (119)

Shipping weight lbs. (kg)	302 (137)
---------------------------	-----------

Climate rating	SN-T
----------------	------

Sound rating dB(A)	44**
--------------------	------

Ice cube output lbs. (kg) / 24 h	2.2 (1)
----------------------------------	---------

Ice cube stock lbs. (kg)	3.3 (1.5)
--------------------------	-----------

Door hinges	right, reversible
-------------	-------------------

Outside dimensions

in inches H/W/D	79-9/16" / 29-9/16" / 24-13/16"
-----------------	---------------------------------

in cm H/W/D	202 / 75 / 63
-------------	---------------

Cut out dimensions

in inches H/W/D	80" / 30" / 24"
-----------------	-----------------

in cm H/W/D	203.2 / 75.6 / 61
-------------	-------------------

Energy supply

Voltage V/Hz	115 / 60
--------------	----------

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3

◀30"▶ **Freestanding /Semi built-in**

When the kitchen space calls for 30", the **CS 1660** answers. Energy efficient LED lighting takes a starring role by illuminating the main compartment, and a unique integrated LED light sits in the bottom of the refrigerator door to shine down into freezer drawers when opened. A convenient, internal water filter is well placed for quick changes to ensure the supply to the IceMaker is always perfect. Features such as a foldable glass shelf, removable VarioBox, and bottle shelving make the interior as appealing as the beautiful exterior with ergonomic handles, beveled edges and easy to clean SmartSteel finish.

And unique cabinet depth dimensions allow for a customized, built-in look. Please consult the installation manual or design guide for ventilation requirements.

Model recognized in 2014 as ENERGY STAR® Most Efficient

CS 1660 Premium NoFrost



- No Frost
- Duo Cooling
- Ice Maker
- Smart Steel
- Soft System



Energy consumption	
in 365 days kWh	517
Estimated Yearly Energy Cost in US \$	62*
Capacity	
Total capacity cu.ft. (l)	15.5 (438)
Refrigerator comp. cu.ft. (l)	11.3 (319)
NoFrost Freezer comp. cu.ft. (l)	4.2 (119)
Shipping weight lbs. (kg)	299.8 (136)
Climate rating	SN-T
Sound rating dB(A)	44**
Ice cube output lbs. (kg)/24 h	2.2 (1)
Ice cube stock lbs. (kg)	3.3 (1.5)
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	79-1/2"/29-3/8"/24-13/16"
in cm H/W/D	202/75/63
Cut out dimensions	
in inches H/W/D	80"/30"/24"
in cm H/W/D	203.2/76.2/61
Energy supply	
Voltage V/Hz	115/60

This unit is also available as

CS 1611: door hinges left, without IceMaker

Energy consumption	
in 365 days kWh	433
Estimated Yearly Energy Cost in US \$	52*

Accessories	
Water filter	7440002-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3



The latest 36" single door **CS 2060** offers nearly 20 cubic feet of capacity allowing it to hold a substantial amount of groceries while meeting all food storage demands. The products expansive and uninterrupted shelving easily accommodates oversized platters and containers. While the spacious upper drawer serves as the perfect space for keeping meats, cheeses and dairy; two additional deep drawers are ideal for conveniently storing fresh fruits and vegetables.

Gallon holders and additional storage racks permit space for all sizes of beverages and sauces to maximize use of space. The self-closing double freezer drawers feature well-appointed and easy grasp stainless steel handles for a contemporary look as well as ease of use.


CS 2060 PremiumPlus NoFrost

Energy consumption

in 365 days kWh	532
Estimated Yearly Operating Cost in US \$	64*

Capacity

Total capacity cu.ft. (l)	19.4 (552)
Refrigerator comp. cu.ft. (l)	13.4 (382)
NoFrost Freezer comp. cu.ft. (l)	6.0 (170)

Shipping weight lbs. (kg)	399 (181)
----------------------------------	-----------

Climate rating	SN-T
-----------------------	------

Sound rating dB(A)	45**
---------------------------	------

Ice cube output lbs. (kg) / 24 h	3.0 (1.3)
---	-----------

Ice cube stock lbs. (kg)	6.0 (2.7)
---------------------------------	-----------

Door hinges	right
--------------------	-------

Outside dimensions

in inches H/W/D	79-13/16"/35-7/8"/24-1/4"
-----------------	---------------------------

in cm H/W/D	202.7/91/61.5
-------------	---------------

Cut out dimensions

in inches H/W/D	80"/36"/24"
-----------------	-------------

in cm H/W/D	203.2/91.4/61
-------------	---------------

Energy supply

Voltage V/Hz	115/60
--------------	--------

This unit is also available as

CS 2061: with door hinges left

For French door design see CBS 2062 on page 35

Accessories

Water filter	7440002-00
--------------	------------

Upper grille for 84" cabinets	9900277-00
-------------------------------	------------

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3



Freestanding / Semi built-in

36"

Open the spacious stainless French doors on the freestanding/semi built-in **CBS 2062** to reveal large capacity storage options and the most ideal conditions for food preservation. Outstanding LED light columns and LED lights illuminate both BioFresh compartment plus double freezer drawers.

The DuoCooling system with separate variable speed compressors for the refrigerator and the freezer provides superior performance and efficiency as well as food preservation. The dual refrigeration system creates optimal conditions in both the Refrigerator and Freezer which lengthens the shelf life of food items for a healthier lifestyle. Separate silent cooling systems ensure accurate temperature and humidity control so food does not dry out



CBS 2062 PremiumPlus BioFresh NoFrost

- Bio Fresh
- No Frost
- Duo Cooling
- Ice Maker
- Soft System
- Telescopic Rails

Energy consumption	
in 365 days kWh	532
Estimated Yearly Operating Cost in US \$	64*
Capacity	
Total capacity cu.ft. (l)	18.8 (534)
Refrigerator comp. cu.ft. (l)	10.4 (295)
BioFresh comp. cu.ft. (l)	2.4 (69)
NoFrost Freezer comp. cu.ft. (l)	6.0 (170)
Shipping weight lbs. (kg)	396.8 (180)
Climate rating	SN-T
Sound rating dB(A)	45**
Ice cube output lbs. (kg) / 24 h	3.0 (1.3)
Ice cube stock lbs. (kg)	6.0 (2.7)
Door hinges	left / right
Outside dimensions	
inches H/W/D	80-9/32"/35-7/8"/24-1/4"
in cm H/W/D	203.9/91/61.5
Cut out dimensions	
inches H/W/D	84"/36"/24"
in cm H/W/D	213.4/91.4/61
Energy supply	
Voltage V/Hz	115 / 60

This unit is also available as

CS 2062: without BioFresh

Energy consumption	
in 365 days kWh	452
Estimated Yearly Energy Cost in US \$	55*

Accessories	
Water filter	7440002-00
Upper grille for 84" cabinets	9900199-00



* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3

◀48"▶ **Freestanding/Semi built-in**

The **SBS 26S1**, with cabinet depth dimension, offers an excellent alternative to a built-in without building in. Stainless steel on all sides gives the flexibility to have the refrigerator anywhere in the kitchen. Comprised of the **CS 1311** and **CS 1360**, this unit can be installed as a side-by-side configuration, or separated into individual towers.

Efficient interior with cool LED light columns makes everything easy to see and is designed to hold more food as well as offer storage flexibility. SmartSteel surface for reduced fingerprint visibility and simple cleaning.

SBS 26S1 Premium NoFrost



- No Frost
- Duo Cooling
- Ice Maker
- Smart Steel
- Soft System

Energy consumption

in 365 days kWh	897
Estimated Yearly Energy Cost in US \$	108*

Capacity

Total capacity cu.ft. (l)	26 (738)
Refrigerator comp. cu.ft. (l)	19.4 (550)
NoFrost Freezer comp. cu.ft. (l)	6.6 (188)

Shipping weight lbs. (kg)	424.8 (194.7)
----------------------------------	---------------

Climate rating	SN-T
-----------------------	------

Ice cube output lbs. (kg)/ 24 h	1.8 (0.8)
--	-----------

Ice cube stock lbs. (kg)	3.3 (1.5)
---------------------------------	-----------

Door hinges	left/right
--------------------	------------

Outside dimensions

in inches H/W/D	79-3/16"/46-1/2"/24-13/16"
in cm H/W/D	201.1/120.6/63

Cut out dimensions

in inches H/W/D	80"/48"/24"
in cm H/W/D	203.2/121.9/61

Energy supply

Voltage V/Hz	115/60
--------------	--------

left appliance: **CS 1311**

Sound rating dB(A)	41**
---------------------------	------

Energy consumption

in 365 days kWh	406
Estimated Yearly Energy Cost in US \$	49*

right appliance: **CS 1360**

Sound rating dB(A)	41**
---------------------------	------

Energy consumption

in 365 days kWh	491
Estimated Yearly Energy Cost in US \$	59*

Solo appliances are ENERGY STAR® rated



Accessories

Water filter	7440002-00
Upper grille for 84" cabinets	9900368-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3





Freestanding / Semi built-in

◀60"▶

Over 30 cubic feet of capacity and 60" of space make for an extraordinary refrigeration and freezing product! The solo appliances of the **SBS 32S1**, models **CS 1611** and **CS 1660** are ENERGY STAR® rated, (as are all Liebherr refrigerators) and handle large capacity storage requirements with ease. Professional looks are well matched with professional performance. Precise electronic touch controls allow the temperature settings and advanced features in the refrigerator and freezer units to be controlled separately. DuoCooling means that the garlic odor from pasta leftovers will never meet the air that circulates in the freezer. The interior space is designed for the best preservation of abundant fresh foods and easy storage of containers of all sizes.

SBS 32S1 Premium NoFrost

- No Frost
- Duo Cooling
- Ice Maker
- Smart Steel
- Soft System



Energy consumption

in 365 days kWh	897
Estimated Yearly Energy Cost in US \$	108*

Capacity

Total capacity cu.ft. (l)	30.9 (876)
Refrigerator comp. cu.ft. (l)	22.5 (638)
NoFrost Freezer comp. cu.ft. (l)	8.4 (238)

Shipping weight lbs. (kg)	597.4 (271)
----------------------------------	-------------

Climate rating	SN-T
-----------------------	------

Ice cube output lbs. (kg) / 24h	2.2 (1)
--	---------

Ice cube stock lbs. (kg)	3.3 (1.5)
---------------------------------	-----------

Door hinges	left/right
--------------------	------------

Outside dimensions

in inches H/W/D	79-17/32"/59-1/2"/24-13/16"
in cm H/W/D	202/151.1/63

Cut out dimensions

in inches H/W/D	80"/60"/24"
in cm H/W/D	203.2/152.4/61

Energy supply

Voltage V/Hz	115/60
--------------	--------

left appliance: **CS 1611**

Sound rating dB(A)	44**
---------------------------	------

Energy consumption

in 365 days kWh	433
Estimated Yearly Operating Cost in US \$	52*

right appliance: **CS 1660**

Sound rating dB(A)	44**
---------------------------	------

Energy consumption

in 365 days kWh	517
Estimated Yearly Operating Cost in US \$	62*

Solo appliances are ENERGY STAR® rated



Accessories

Water filter	7440002-00
--------------	------------

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3



The Built-in Advantages



Ice Maker

IceMaker: Liebherr's automatic IceMaker produces flawless crescent ice and keeps a constant supply on hand for every occasion. An activated carbon filter ensures pure water for production of clear ice crescents.



Glass Line

GlassLine: The elegant yet tough GlassLine shelving made of safety glass are scratch resistant and dishwasher safe. Everything is easy to see, access and clean.



Touch Control System: Our intuitive electronic touch control panel (found on most models) ensures all functions are easy and convenient to use as well as guarantees that the settings selected remain accurate and constant.



Telescopic Rails

Drawers on telescopic rails: Vitamin-rich foods can be conveniently stored in spacious fruit and vegetable drawers, and easily accessible BioFresh compartments are mounted on smooth telescopic rails which extend effortlessly providing a full view of items stored.



Soft System

SoftSystem: Effortless opening and door closing. The door automatically closes gently from an opening angle of approximately 30 degrees. Plus the door opening angle can be reduced to 90 degrees allowing for more design options within kitchen décor.



Water Filtration

Water filtration: In our built-in appliances, the integrated water filter for the IceMaker is conveniently located behind the magnetic toe kick, allowing for quick filter changes when indicated by the electronic control panel.

Every kitchen designer would be happy with the distinctive design options of the **SBS 241**, consisting of models **BF 1061** and **R 1410**. This built-in stainless model slides into cabinet surrounds and can be installed as a side-by-side or as individual towers creating a cabinet depth showpiece. High performance features for everyday use include Liebherr's patented BioFresh system, SoftSystem door closing technology, GlassLine easy to clean interior shelving, and space saving beverage racking. LED light is available in the refrigerator tower, as well as in the BioFresh section of the freezer tower.

SBS 241 Premium BioFresh NoFrost

Energy consumption

in 365 days kWh	703
Estimated Yearly Energy Cost in US \$	95*

Capacity

Total capacity cu.ft. (l)	23.7 (675)
Refrigerator comp. cu.ft. (l)	13.7 (391)
BioFresh comp. cu.ft. (l)	5.5 (157)
NoFrost Freezer comp. cu.ft. (l)	4.5 (127)

Shipping weight lbs. (kg)	451.2 (205.1)
----------------------------------	---------------

Climate rating

	SN-T
--	------

Ice cube output lbs. (kg) / 24 h

	1.8 (0.8)
--	-----------

Ice cube stock lbs. (kg)

	3.3 (1.5)
--	-----------

Door hinges

	left / right
--	--------------

Outside dimensions

in inches H/W/D	max. 77"/48"/24-7/8"
-----------------	----------------------

in cm H/W/D	195.5/121.9/63.2
-------------	------------------

Cut out dimensions

in inches H/W/D	80"/48"/24"
-----------------	-------------

in cm H/W/D	203.2/121.9/61
-------------	----------------

Energy supply

Voltage V/Hz	115/60
--------------	--------

Features

3 separately adjustable temperature zones

left appliance:	BF 1061
-----------------	----------------

Sound rating dB(A)	43**
---------------------------	------

Energy consumption

in 365 days kWh	495
-----------------	-----

Estimated Yearly Energy Cost in US \$	59*
---------------------------------------	-----

right appliance:	R 1410
------------------	---------------

Sound rating dB(A)	40**
---------------------------	------

Energy consumption

in 365 days kWh	298
-----------------	-----

Estimated Yearly Operating Cost in US \$	36*
--	-----

Solo appliances are ENERGY STAR® rated


Accessories

Single installation set	9900306-00
-------------------------	------------

SBS installation set	9900308-00
----------------------	------------

Top ventilation grille single	9900302-00
-------------------------------	------------

Top ventilation grille SBS 80"	9900304-00
--------------------------------	------------

Top ventilation grille SBS 84"	9900344-00
--------------------------------	------------

Water filter	7440002-00
--------------	------------

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3



Built-In

48"

The **SBS 243** comprised of units **F 1051** and **RB 1410** is full of practical features, besides flawlessly fitting with your personalized kitchen design. Enjoy the large capacity and the convenience of the full freezer tower outfitted with transparent drawers, as well as the full refrigeration tower with LED lighting, precise touch control electronics and BioFresh drawers. The two towers can take their places side-by-side or in different parts of the kitchen. This unit not only gives you maximum space for frozen and fresh food, but it actually preserves your produce and meats longer with Liebherr's patented BioFresh technology – so go ahead and make a stunning statement with this stainless masterpiece.

SBS 243 Premium BioFresh NoFrost



Energy consumption

in 365 days kWh	760
Estimated Yearly Energy Cost in US \$	91*

Capacity

Total capacity cu.ft. (l)	22.2 (630)
Refrigerator comp. cu.ft. (l)	8.7 (246)
BioFresh comp. cu.ft. (l)	4.1 (117)
NoFrost Freezer comp. cu.ft. (l)	9.4 (267)

Shipping weight lbs. (kg)	413.4 (206.7)
---------------------------	---------------

Climate rating

SN-T	
------	--

Ice cube output lbs. (kg) / 24 h	1.8 (0.8)
----------------------------------	-----------

Ice cube stock lbs. (kg)	3.3 (1.5)
--------------------------	-----------

Door hinges	left / right
-------------	--------------

Outside dimensions	
in inches H/W/D	max. 77"/48"/24-7/8"
in cm H/W/D	195.5/121.9/63.2

Cut out dimensions	
in inches H/W/D	80"/48"/24"
in cm H/W/D	203.2/121.9/61

Energy supply	
Voltage V/Hz	115/60

Features	
3 separately adjustable temperature zones	

left appliance:	F 1051
-----------------	---------------

Sound rating dB(A)	44**
--------------------	------

Energy consumption	
in 365 days kWh	465
Estimated Yearly Energy Cost in US \$	56*

right appliance:	RB 1410
------------------	----------------

Sound rating dB(A)	45**
--------------------	------

Energy consumption	
in 365 days kWh	295
Estimated Yearly Operating Cost in US \$	35*

Solo appliances are ENERGY STAR® rated	
--	--



Accessories

Single installation set	9900306-00
SBS installation set	9900308-00
Top ventilation grille single	9900302-00
Top ventilation grille SBS 80"	9900304-00
Top ventilation grille SBS 84"	9900344-00
Water filter	7440002-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3

Liebherr's **SBS 246** encompassing models **WF 1061** and **RB 1410**, this combination offers the ideal storage for all food types. Five distinct temperature zones (refrigerator compartment, BioFresh drawers, freezer and two temperature zones in the wine compartment) make for completely customized storage conditions.

Other key features include: cabinet depth dimensions, Liebherr's SoftSystem for gently closing doors, flexible bottle storage spacious refrigeration section, and LED lighting on both sides. The dual zone wine cabinet houses 34 bottles, on beech wood shelving with smooth telescopic rails and incorporates a unique drop-down presentation shelf for displaying your finest bottles.

SBS 246 PremiumPlus Vinidor BioFresh NoFrost



Capacity

Total capacity cu.ft. (l)	21.8 (617)
Refrigerator comp. cu.ft. (l)	8.7 (246)
BioFresh comp. cu.ft. (l)	4.1 (117)
NoFrost Freezer comp. cu.ft. (l)	4.5 (127)
Wine Storage cap.	34 Bordeaux bottles
Shipping weight lbs. (kg)	433.2 (216.6)
Climate rating	SN-T
Ice cube output lbs. (kg) / 24 h	1.8 (0.8)
Ice cube stock lbs. (kg)	3.3 (1.5)
Door hinges	left/right

Outside dimensions

in inches H/W/D	max. 77"/48"/24-7/8"
in cm H/W/D	195.5/121.9/63.2

Cut out dimensions

in inches H/W/D	80"/48"/24"
in cm H/W/D	203.2/121.9/61

Energy supply

Voltage V/Hz	115/60
--------------	--------

Features

5 separately adjustable temperature zones

left appliance: **WF 1061**

Sound rating dB(A) 43**

Energy consumption

in 365 days kWh Wine models not rated

right appliance: **RB 1410**

Sound rating dB(A) 45**

Energy consumption

in 365 days kWh 295

Estimated Yearly Energy Cost in US \$ 35*

Accessories

Single installation set	9900306-00
SBS installation set	9900308-00
Top ventilation grille single	9900302-00
Top ventilation grille SBS 80"	9900304-00
Top ventilation grille SBS 84"	9900344-00
Water filter	7440002-00



* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3

The Fully Integrated / Seamless Advantages

The stylish answer to freshness. In custom kitchens, integrated appliances are the most stylish option available – they're totally out of sight. Built-in appliances fit harmoniously into a kitchen's design; yet there is no secret of

what lies within. Liebherr's integrated appliances are concealed behind cabinet doors allowing you to show off the materials, colors and design of your custom kitchen to full advantage.




Glass Line

Door-on-door technology: Allows custom panels to be affixed directly onto the appliance door so that the hinges are concealed, plus the cabinet and the fridge open as one, ensuring a wide range of design options and easy installation.



GlassLine: The elegant yet tough GlassLine shelves are scratch resistant and easy to clean as well as dishwasher safe. The space saving shelves are designed for organization and are completely adjustable to suit your needs and the contents of the refrigerator, and lighting shines through for a brighter interior.



Soft System

SoftSystem: Unique to Liebherr is our patented system, often used in high-end cabinetry, ensure that the door closes gently, even when fully loaded.



LED

Light columns: For Liebherr's PremiumPlus appliances, unique LED light columns are integrated into both sides of the compartment liner. Inside the columns are numerous LED lights that ensure uniform lighting throughout the interior.

The Fully Integrated/Seamless Advantages



Vegetable bins: The transparent vegetable bins give a clean appearance and a clear view of all that's inside. Sitting on rollers, the drawers slide effortlessly and pull out smoothly for accessibility of items stored as well as cleanup convenience.



Bio Fresh



Super Cool

Super Frost

SuperCool/SuperFrost: Simply quick chill and/or freeze fresh groceries to preserve optimum freshness and seal in flavors, textures as well as maintain essential vitamins and minerals.

BioFresh: With BioFresh food retains its healthy vitamins, aroma and appetising appearance significantly longer than in a conventional fridge. Through its advanced technology the temperature is accurately kept at just above +32 °F (0°C).



Telescopic Rails

Freezer drawers: Double freezer drawers mounted on telescopic rails offer plenty of storage space. A self-closing system for both drawers ensures an easy and convenient handling. The freezer drawers are perfectly illuminated by LED-lights.



Ice Maker

IceMaker: Liebherr's IceMaker produces flawless crescent ice and automatically keeps a constant supply on hand for convenience.



Gallon Storage on Door: A Liebherr is designed to fit more cubic feet of your everyday life. The durable yet elegant GlassLine door racks easily accommodate a large supply of milk or juice on hand.



Super Quiet

SuperQuiet: Noise is kept to a minimum with virtually silent, speed controlled, specially absorbed compressors and a low noise cooling circuit; while also ensuring exact performance, energy efficiency and quiet operation.

◀24"▶ **Fully Integrated/Seamless**

Perfect for the custom kitchen, the **HC 1070** blends in beautifully with any kitchen environment as it installs up inside a pantry and the refrigeration/freezer opens in unison with cabinet doors. The door on door technology is a key feature of Liebherr's fully integrated product line where the custom panel is affixed directly onto the appliance door and allows for the cabinet and the fridge door to open as one. This technology provides better design options and easy installation. You are able to put a taller panel on the fridge door to match up with adjacent cabinets of 80" or 84" heights and utilize the interior room for additional storage. Also with SoftSystem the door gently closes automatically. Advantageously, this contemporary model eliminates the need for a water hook up as it conveniently has a 1.5 l internal water tank for the IceMaker – Simply fill with filtered water for production of crescent ice. The automatic IceMaker always keeps your supply topped up.

HC 1070 PremiumPlus NoFrost



Energy consumption	
in 365 days kWh	475
Estimated Yearly Energy Cost in US \$	57*
Capacity	
Total capacity cu.ft. (l)	9.3 (264)
Refrigerator comp. cu.ft. (l)	6.9 (190)
NoFrost Freezer comp. cu.ft. (l)	2.4 (68)
Shipping weight lbs. (kg)	81.6 (170.9)
Climate rating	SN-T
Sound rating dB(A)	38**
Ice cube output lbs. (kg) / 24 h	1.8 (0.8)
Ice cube stock lbs. (kg)	3.3 (1.5)
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	69-21/32"/21-15/16"/21-7/32"
in cm H/W/D	177/55.7/53.9
Cut out dimensions	
in inches H/W/D	69-3/4"-70-3/8"/max. 22-3/4"/min. 21-21/32"
in cm H/W/D	177.2-178.8/max. 57.8/max. 55
Energy supply	
Voltage V/Hz	115/60

This unit is also available as

HC 1080 : with connected Icemaker

Energy consumption	
in 365 days kWh	475
Estimated Yearly Energy Cost in US \$	57*

HC 1030 : without Icemaker

Energy consumption	
in 365 days kWh	395
Estimated Yearly Energy Cost in US \$	47*

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3



◀24"▶ **Fully Integrated/Seamless**

The sophisticated, elegant European design of Liebherr's 24" **HCB 1060** fits the need for smaller refrigeration in metropolitan areas, and is the perfect refrigeration unit for condominium projects, small space urban homes and galley kitchens alike – A sleek centerpiece that makes a definite statement. The standard depth of a kitchen cabinet is 24". Most refrigerators are at least 25 inches deep or greater. Not so for Liebherr's integrated **HCB 1060** model. Our engineers came up with a way to eliminate that extra inch. The result is a premium refrigerator that fits flush behind your cabinets, sparing you from disappointing and costly design modifications. This seamless, cabinet depth unit is slim in stature, yet full with innovative features such as BioFresh which helps food retains its healthy vitamins, aroma and appetizing appearance significantly longer than in a conventional fridge allowing you to discover less waste and eat healthy as well as seasonally. Additionally, the door on door technology is a key feature of Liebherr's fully integrated product line where the custom panel is affixed directly onto the appliance door and allows for the cabinet and the fridge door to open as one. This technology provides better design options and easy installation.

HCB 1060 PremiumPlus NoFrost



Energy consumption	
in 365 days kWh	475
Estimated Yearly Energy Cost in US \$	57*
Capacity	
Total capacity cu.ft. (l)	8.7 (247)
Refrigerator comp. cu.ft. (l)	6.3 (179)
NoFrost Freezer comp. cu.ft. (l)	2.4 (68)
Shipping weight lbs. (kg)	87.2 (192.2)
Climate rating	SN-T
Sound rating dB(A)	38**
Ice cube output lbs. (kg)/ 24 h	1.8 (0.8)
Ice cube stock lbs. (kg)	2.2 (1.0)
Door hinges	right, reversible
Outside dimensions	
in inches H/W/D	70 3/32" / 22 1/16" / 21 7/16"
in cm H/W/D	177/55.9/54.4
Cut out dimensions	
in inches H/W/D	69 13/16" - 70 7/16" / 22 1/16" - 22 13/16" / 21 11/16"
in cm H/W/D	177.2-178.8 / max. 57.8 / max. 55
Energy supply	
Voltage V/Hz	115/60

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.



Fully Integrated / Seamless

30"

Stylish and sleek the 30" fully integrated **HCB 1561** offers impressive performance features and design flexibility. The smart DuoCooling system with separate exceptionally efficient variable speed compressors ensures no air is exchanged between compartments guaranteeing food won't dry out and the freezer is always ice free. Plus, boost freshness longer with BioFresh that retains healthy vitamins, aroma and appetizing appearance. Each drawer can be adjusted individually and provides ideal humidity for versatile storage solutions. The automatic IceMaker which is permanently plumbed in and an integrated water filter with activated charcoal provides just the right supply of perfect crescent ice.

HCB 1561 PremiumPlus BioFresh NoFrost



Energy consumption

in 365 days kWh	507
Estimated Yearly Energy Cost in US \$	61*

Capacity

Total capacity cu.ft. (l)	14.1 (400)
Refrigerator comp. cu.ft. (l)	7.7 (219)
BioFresh comp. cu.ft. (l)	2.1 (60)
NoFrost Freezer comp. cu.ft. (l)	4.3 (121)

Shipping weight lbs. (kg)	357.1 (162)
----------------------------------	-------------

Climate rating	SN-T
-----------------------	------

Sound rating dB(A)	42**
---------------------------	------

Ice cube output lbs. (kg) / 24 h	2.2 (1.0)
---	-----------

Ice cube stock lbs. (kg)	6.0 (2.7)
---------------------------------	-----------

Door hinges	left
--------------------	------

Outside dimensions

in inches H/W/D	79-13/16"/29-13/16"/24"
-----------------	-------------------------

in cm H/W/D	202.7/75.7/61
-------------	---------------

Cut out dimensions

in inches H/W/D	80"/30"/min.24"
-----------------	-----------------

in cm H/W/D	203.2/76.2/min.61
-------------	-------------------

Energy supply

Voltage V/Hz	115/60
--------------	--------

This unit is also available as

HCB 1560 : with door hinges right

Accessories

Stainless Steel panels refr. 80"	9900287-00
Stainless Steel panels refr. 84"	9900285-00
Stainless Steel panels freezers	9900283-00
Stainless Steel handles 3/4" round	9900279-00
Aluminium handles oval	9900281-00
SBS-Kit	9900219-00
Water filter	7440002-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3

◀30"▶ **Fully Integrated/Seamless**

The **HC 1540** model is perfect for a seamless design because it is cleverly concealed behind cabinet doors. With a fully integrated door-on-door system that incorporates strong hinges for a convenient closing of doors even when fully loaded. Double freezer drawers mounted on smooth telescopic rails offer more than 4 cubic feet of storage space and the drawer system offers convenient handling and viewing of food stored. A water connection is not needed for the IceMaker thanks to a well appointed 1.5 liter internal water tank that is conveniently removable for filtered water to produce ample pure crescent ice.

HC 1540 Premium NoFrost



Energy consumption	
in 365 days kWh	507
Estimated Yearly Energy Cost in US \$	61*
Capacity	
Total capacity cu.ft. (l)	14.1 (400)
Refrigerator comp. cu.ft. (l)	9.8 (278)
NoFrost Freezer comp. cu.ft. (l)	4.3 (122)
Shipping weight lbs. (kg)	323.4 (147)
Climate rating	SN-T
Sound rating dB(A)	42**
Ice cube output lbs. (kg) / 24 h	2.2 (1)
Ice cube stock lbs. (kg)	6.0 (2.7)
Door hinges	right
Outside dimensions	
in inches H/W/D	79-13/16"/29-13/16"/24"
in cm H/W/D	202.7/75.7/61
Cut out dimensions	
in inches H/W/D	80"/30"/min. 24"
in cm H/W/D	203.2/76.2/min. 61
Energy supply	
Voltage V/Hz	115/60

This unit is also available as

HC 1541 : with door hinges left

HC 1550 : with door hinges right and IceMaker

with fixed/plumbed water connection

Accessories

Stainless Steel panels refr. 80"	9900287-00
Stainless Steel panels refr. 84"	9900285-00
Stainless Steel panels freezers	9900283-00
Stainless Steel handles 3/4" round	9900279-00
Aluminium handles oval	9900281-00
SBS-Kit	9900219-00



* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3

◀36"▶ **Fully Integrated/Seamless**

Show off the materials and design of your custom kitchen to the fullest with the stylish fully integrated **HCB 2060**. The new 36" single door model features strong hinges for a convenient closing of doors as well as LED lighting and elegant GlassLine shelving including door storage of gallon containers. The two BioFresh drawers are individually usable as HydroSafes with high humidity or as DrySafes with low humidity to enable versatile storage. In this way the ideal climate is provided for all varieties of food.

An automatic IceMaker featuring the most technically advanced water filter provides an abundant supply of perfect crescent ice.

Picture shows a side-by-side installation of **HCB 2060** with **HCB 2061**.

HCB 2060 PremiumPlus BioFresh NoFrost



Energy consumption	
in 365 days kWh	556
Estimated Yearly Energy Cost in US \$	67*
Capacity	
Total capacity cu.ft. (l)	18.8 (534)
BioFresh comp. cu.ft. (l)	2.4 (69)
Refrigerator comp. cu.ft. (l)	10.4 (295)
NoFrost Freezer comp. cu.ft. (l)	6.0 (170)
Shipping weight lbs. (kg)	396.8 (180)
Climate rating	SN-T
Sound rating dB(A)	43**
Door hinges	right
Outside dimensions	
in inches H/W/D	79-13/16"/35-13/16"/24"
in cm H/W/D	202.7/91/61
Cut out dimensions	
in inches H/W/D	80"/36"/min. 24"
in cm H/W/D	203.2/91.4/61
Energy supply	
Voltage V/Hz	115/60

This unit is also available as

HCB 2061: with door hinges left

HC 2060: without BioFresh, with door hinges right

HC 2061: without BioFresh, with door hinges left

Energy consumption	
in 365 days kWh	561
Estimated Yearly Energy Cost in US \$	67*

Accessories	
Stainless Steel panels refr. 80"	9900333-00
Stainless Steel panels refr. 84"	9900331-00
Stainless Steel panels freezers	9900323-00
Stainless Steel handles 3/4" round	9900327-00
Aluminium handles oval	9900329-00
SBS-Kit	9900183-00
Water filter	7440002-00



* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.
 ** Noise level – sound power re 1pW – according to EN 60704-3

Sharing the ultimate performance features of the **CBS 2062** (see pages 34-35), elegant French door styling is available in two other 36" designs for custom kitchens. Choose from the fully integrated **HCB 2062** (pictured here) concealed behind cabinetry or the professional esthetics of stainless steel panels. Whichever appliance finish fits the kitchen, the 2062 Series is highlighted by BioFresh technology, Liebherr's popular DuoCooling system for high performance and efficiency as well as self-closing double freezer drawers. Standard accessories for this series are available to adapt to 80" or 84" high installation requirements.

HCB 2062 PremiumPlus BioFresh NoFrost**Energy consumption**

in 365 days kWh	556
Estimated Yearly Energy Cost in US \$	67*

Capacity

Total capacity cu.ft. (l)	18.9 (534)
Refrigerator comp. cu.ft. (l)	10.4 (295)
BioFresh comp. cu.ft. (l)	2.5 (69)
NoFrost Freezer comp. cu.ft. (l)	6.0 (170)

Shipping weight lbs. (kg)	379.2 (178)
----------------------------------	-------------

Climate rating

SN-T	
------	--

Sound rating dB(A)

43**	
------	--

Ice cube output lbs. (kg) / 24 h

3.0 (1.3)	
-----------	--

Ice cube stock lbs. (kg)

6.0 (2.7)	
-----------	--

Door hinges

right/left	
------------	--

Outside dimensions

inches H/W/D	79-13/16"/35-7/8"/24-1/16"
in cm H/W/D	202.7/91/61.8

Cut out dimensions

inches H/W/D	80"/36"/min. 24-3/4"
in cm H/W/D	203.2/91.4/min. 62.9

Energy supply

Voltage V/Hz	115/60
--------------	--------

This unit is also available as

HC 2062: without BioFresh

Energy consumption

in 365 days kWh	651
Estimated Yearly Energy Cost in US \$	67*

Accessories

Stainless Steel panels refr. 80"	9900337-00
Stainless Steel panels refr. 84"	9900335-00
Stainless Steel panels freezers	9900323-00
Stainless Steel handles 3/4" round	9900339-00
Aluminium handles oval	9900513-00
Water filter	7440002-00

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3

Liebherr's **SBS 19H1** Side-by-Side unit comprised of a 24" fully integrated refrigerator with BioFresh (**HRB 1120**) and a 24" fully integrated freezer with IceMaker (**HF 861**) is the perfect combination for any kitchen. Hidden away behind custom cabinetry, enjoy features such as BioFresh safes (Read more about BioFresh on pages 12-15), efficient LED lighting throughout, and flexible bottle racks to maximize interior space. In the full freezer tower, transparent drawers on telescopic rails with safety glass shelf dividers efficiently organize the frozen foods kept FrostSafe with continual circulated air. Both sides incorporate SoftSystem technology for gentle closing of doors.

SBS 19H1 PremiumPlus BioFresh NoFrost**Energy consumption**

in 365 days kWh	722
Estimated Yearly Energy Cost in US \$	87*

Capacity

Total capacity cu.ft. (l)	18.1 (513)
Refrigerator comp. cu.ft. (l)	7.6 (216)
BioFresh comp. cu.ft. (l)	3.3 (92)
NoFrost Freezer comp. cu.ft. (l)	7.2 (205)

Shipping weight lbs. (kg)	392.3 (178.3)
----------------------------------	---------------

Climate rating

	SN-ST
--	-------

Ice cube output lbs. (kg) / 24 h

	2.2 (1)
--	---------

Ice cube stock lbs. (kg)	3.3 (1.5)
---------------------------------	-----------

Door hinges	left/right
--------------------	------------

Outside dimensions

in inches H/W/D	69-13/16" / 2x 22-1/16" / 21-11/16"
-----------------	-------------------------------------

in cm H/W/D	177 / 2x55.9 / 54.4
-------------	---------------------

Cut out dimensions

in inches H/W/D	69-3/4" - 70-3/8" / max. 22-3/4" / min. 21-21/32"
-----------------	---

in cm H/W/D	177.2 - 178.8 / 2x57.8 / 55
-------------	-----------------------------

Energy supply

Voltage V/Hz	115/60
--------------	--------

Features

3 separately adjustable temperature zones

left appliance:	HF 861
-----------------	---------------

Sound rating dB(A)	38**
---------------------------	------

Energy consumption	
---------------------------	--

in 365 days kWh	439
-----------------	-----

Estimated Yearly Energy Cost in US \$	53*
---------------------------------------	-----

right appliance:	HRB 1120
------------------	-----------------

Sound rating dB(A)	33**
---------------------------	------

Energy consumption	
---------------------------	--

in 365 days kWh	283
-----------------	-----

Estimated Yearly Energy Cost in US \$	34*
---------------------------------------	-----

Solo appliances are ENERGY STAR® rated



This unit is also available separately as

HF 861 : fully integrated freezer with IceMaker


HRB 1120 : fully integrated refrigerator with BioFresh

Accessories

Water filter	7440002-00
--------------	------------

* Your Energy Cost will depend on your utility rates and use. Estimated energy cost based on a national average electricity cost of 12 cents per kWh.

** Noise level – sound power re 1pW – according to EN 60704-3



The Wine Storage Advantages



LED lighting: The light in the wine cooling compartments can be dimmed to give a pleasing ambient light inside the appliance. All Vinidor appliances are equipped with this innovative, cool LED lighting concept.



Presentation shelf: The practical shelf of the Vinidor models fulfills both bottle storage and presentation functions. The bottles can be stored horizontally at the rear.



Activated Charcoal Filter: Liebherr Wine cabinets have a permanent supply of odorless, fresh air via an easily exchangeable activated charcoal filter.



Integrated lock: Nicely concealed into the side of the door, this sturdy lock protects your fine wine collection.



Electronic LCD display: Intuitive navigation of touch electronic control system enables tailored storage options. The digital temperature display can be viewed via the UV tinted glass door.



Compressors: Specially developed compressors installed in the wine cabinets from Liebherr ensure that the wines are stored in a particularly low vibration environment.



HWS 1800, the fully integrated wine unit that holds 18 Bordeaux bottles in an ideal storage environment. The innovative styling allows the unit to sit flush with cabinetry and its recessed handle maintains crisp, simple lines that incorporates beautifully into your custom kitchen design. Take advantage of the units design flexibility and place this sleek, modular wine cabinet anywhere in your home and proudly display your fine wine collection at eye level.

The temperature is continuously adjustable from 41° to 68 °F (5° to 20°C) and the LED ceiling light is dimmable to cast a cool glow across the room. The insulated glass door with UV protection and the activated charcoal filter protect the wine from busy kitchen influences such as light and odor.

For 30" wide cabinets Liebherr offers a special trim kit with stainless steel panels.



HWS 1800 GrandCru

- Wine
- LED
- Telescopic Rails



Capacity

Total capacity cu.ft. (l)	1.7 (47)
Capacity of wine compartment cu.ft. (l)	1.7 (47)
Max. No. of Bordeaux btls 0.75 l	18

Shipping weight lbs. (kg)	72,8 (33)
----------------------------------	-----------

Climate rating	SN
-----------------------	----

Sound rating dB(A)	36*
---------------------------	-----

Door hinges	right, reversible
--------------------	-------------------

Outside dimensions

in inches H/W/D	17-3/8"/21-15/16"/22"
in cm H/W/D	44/55.7/55.8

Cut out dimensions

in inches H/W/D	17-3/4"/22-1/16"/min. 21-21/32"
in cm H/W/D	45/56/55

Energy supply

Voltage V/Hz	115/60
--------------	--------

Accessories

Charcoal filter	7433243-00
Trim kit 30"	9900073-00

* Noise level – sound power re 1pW – according to EN 60704-3



Wine Cabinets

◀24"▶

The advanced **WUgb 3400** offers a number of innovative solutions for wine storage. Controls are integrated into the insulation layer between the temperature zones, making it possible to set two different temperatures within the unit. Store red and white wines according to your preference – use the entire cabinet for one or store both, each at its optimum drinking temperature. The elegant black glass door, featuring new TipOpen technology offers seamless integration into handle-free kitchen furniture. This smart wine cabinet can hold up to 34 bottles and when gently tapped, the glass door automatically opens to 2 3/4 inches, offering convenient access to enable full opening. If the door is not opened further within about three seconds, the soft-closing system automatically closes the door again, safeguarding your precious wine. Enjoy a top-quality wine experience before you even select a bottle.

WUgb 3400 Vinidor



Capacity

Total capacity cu.ft. (l) 3.3 (94)

Capacity of wine compartment cu.ft. (l) 3.3 (94)

Max. No. of Bordeaux btls 0.75 l 34

Shipping weight lbs. (kg) 123.5 (56)

Climate rating SN-ST

Sound rating dB(A) 38*

Door hinges right, reversible

Outside dimensions

in inches H/W/D 32-1/4"/23-9/16"/22-11/16"

in cm H/W/D 81.8/59.7/57.5

Cut out dimensions

in inches H/W/D 32-5/16"/34-5/16"/23-5/8"/22-7/8"

in cm H/W/D 82-87/60/58

Energy supply

Voltage V/Hz 115/60

Accessories

Charcoal filter 7434557-00

Black glass trim kit (conceal gap above unit) 9901599-00

Side-by-side kit 9901647-00

* Noise level – sound power re 1pW – according to EN 60704-3

Wine drinkers have different palettes and preferences when selecting and serving wine. Wine collectors have a whole other set of criteria for fine bottles – Temperature, humidity, vibration and light are the most important elements of wine storage, and Liebherr's new **WU 3400**, a dual temperature zone unit clearly addresses all four areas with the best storage and preservation conditions in mind. The stylish wine cabinet fits beautifully into any home environment and offers an accurate electronic control system that can be set to the degree required in the range of 41 °F to 68 °F or 5 °C to 20 °C. This wide range makes the control suitable for all reds, whites and champagne. As a true wine storage unit (and not just a refrigerator) the unit also has heating capabilities to maintain accurate temperature when the location of the unit is colder than the desired set temperature. In addition to the constant temperature feature, the ideal climate is also created with exceptional air quality. Liebherr's design uses recirculated forced air cooling and a permanent fresh air supply via an easily exchangeable activated charcoal filter. Humidity is set between 50 and 80 percent permitting wine to breathe as it matures and to keep corks supple. Specially developed, quiet compressors ensure that the unit has the lowest vibration possible because fine wines love peace and quiet as much as anyone.

WU 3400 Vinidor

Wine LED

Capacity

Total capacity cu.ft. (l)	4.4 (123)
Capacity of wine compartment cu.ft. (l)	4.4 (123)
Max. No. of Bordeaux btls 0.75 l	34
Shipping weight lbs. (kg)	121 (55)
Climate rating	SN-ST
Sound rating dB(A)	39*

Door hinges right, reversible

Outside dimensions

in inches H/W/D	32-1/4"/ 23-9/16"/22-1/2"
in cm H/W/D	81.8/59.7/57.0

Cut out dimensions

in inches H/W/D	32-5/16"- 34-5/16"/23-5/8"/22-7/8"
in cm H/W/D	82-87/60/58,0

Energy supply

Voltage V/Hz	115/60
--------------	--------

Model available as custom panel (shown in image) or stainless steel

Accessories

Charcoal filter	7434557-00
Custom panel hinge kit	9590131-00
Stainless steel trim kit (conceal gap above unit)	9901601-00
Side-by-side kit	9901647-00



WU 3400 (with custom panel)



The **WU 4500** wine storage cabinet is ideal for storing wines for long periods of time, allowing them to mature to perfection. Depending on what temperature the appliance is set at, it can also be used for keeping white or red wine at exactly the right temperature for serving. This unit is the smart undercounter solution that allows you to store wine at a temperature level between +41°F (+5°C) and +68°F (+20°C). With a constant supply of fresh air via an activated charcoal filter and continuously circulating air cooling, this appliance guarantees consistently high air quality during the maturing process. A specially developed compressor ensures that the wines are stored vibration free. Since the wine cabinet ventilates through the toe kick, no counter slots are necessary and the cabinet can be integrated easily and elegantly into your customized kitchen. This sophisticated unit also boasts a digital temperature display conveniently located at the top of the cabinet with visibility through the elegant glass door.

WU 4500 GrandCru

-
 Wine
 LED

Capacity

Total capacity cu.ft. (l)	3.9 (110)
Capacity of wine compartment cu.ft. (l)	3.9 (110)
Max. No. of Bordeaux btls 0.75 l	46

Shipping weight lbs. (kg)	116.8 (53)
----------------------------------	------------

Climate rating	SN-ST
-----------------------	-------

Sound rating dB(A)	39*
---------------------------	-----

Door hinges	right, reversible
--------------------	-------------------

Outside dimensions

in inches H/W/D	32-5/16"/23-9/16"/22-3/4"
in cm H/W/D	81.8/59.7/57.7

Cut out dimensions

in inches H/W/D	32-5/16"-34-5/16"/23-5/8"/22-7/8"
in cm H/W/D	82-87/60/58.0

Energy supply

Voltage V/Hz	115/60
--------------	--------

Accessories

Charcoal filter	7434557-00
Custom panel hinge kit	9590131-00
Stainless steel trim kit (conceal gap above unit)	9901601-00
Side-by-side kit	9901647-00

* Noise level – sound power re 1pW – according to EN 60704-3



Beverage/Wine Cooler

◀24"▶

Liebherr's sleek beverage center chills every drink preference to perfection and keeps them close at hand in any kitchen, bar or entertainment area so your guests are completely happy. Whether you are entertaining a large group or having a quiet family night at home. The new **RU 510** a sleek 24" beverage/wine cooler offers amazing capacity as well as superior storage with sophisticated design that blends beautifully with any décor. This contemporary unit features a glass door providing a clear view and elegant stainless steel frame that can also accommodate a custom panel if desired. The appliance offers storage flexibility thru two glass storage shelves with stainless steel trim plus a convenient split shelf for storing taller items and one pull out metal rack. The electronic control system is situated at the top of the interior and is visible through the glass door. The temperature can be set from +37 °F (+2 °C) to +68 °F (+ 20°C). The cabinet includes a lock for added protection of items stored.

RU 510 GrandCru

Wine Telescopic Rails

Capacity

Total capacity cu.ft. (l) 3.8 (108)

Capacity of wine compartment cu.ft. (l) 3.8 (108)

Total cans storage capacity (0.33 l) 114

Shipping weight lbs. (kg) 121.3 (55)

Climate rating SN-ST

Door hinges right, reversible

Outside dimensions

in inches H/W/D 32-1/4"/ 23-9/16"/ 22-3/4"

in cm H/W/D 81.8/59.7/57.7

Cut out dimensions

in inches H/W/D 32-5/16"-34-5/16"/23-5/8"/21-11/16"

in cm H/W/D 82-87/60/55

Energy supply

Voltage V/Hz 115/60

Accessories

Custom panel hinge kit 9590131-00

Stainless steel trim kit (conceal gap above unit) 9901601-00

Side-by-side kit 9901647-00

Outdoor Beverage/Wine Cooler

◀24"▶

If you are looking to turn your outdoor kitchen on the deck or patio into the ultimate place for entertaining, Liebherr's compact 24" outdoor undercounter beverage/wine cooler **RO 510** is the ultimate barbecue and entertainment accessory, offering the best place for beverages such as wine, beer and soft drinks as well as barbecue supplies and condiments located accessibly, allowing you to have all your ingredients close at hand without compromising on elegance and design – perfect for keeping meats and vegetables conveniently near the grill or chilling your drinks while you enjoy the outdoors and entertaining. The appliance temperature can be set from +36°F (+2 °C) to +68°F (+20°C) and has three glass storage shelves with stainless steel trim for plenty of plate and container storage including a versatile split shelf for ease in storing taller items along with two door racks (one adjustable) with elegant retainers. Bottles fit effortlessly in specially designed grooves on the appliance floor. This model is designed to weather the outdoor elements while adding style to your outdoor kitchen. With weather resistant stainless steel on the exterior, it is protected against the elements and corrosion. It operates perfectly within ambient temperatures from +50 °F (+10 °C) to +109 °F (+43 °C). Because of its sophisticated look with stainless steel surround, the unit can also be used indoors within bar and kitchen settings for added convenience without compromising on elegance or design. The cabinet includes a lock for added protection of items stored.

RO 510 Premium

LED



Capacity

Total capacity cu.ft. (l)	3.7 (104)
Capacity refrigerator compartment cu.ft. (l)	3.7 (104)

Shipping weight lbs. (kg) 130.1 (59)

Outside dimensions

in inches H/W/D	32-1/4"/23-9/16"/22-3/4"
in cm H/W/D	81.8/59.7/57.7

Cut out dimensions

in inches H/W/D	32-5/16"-34-5/16"/23-5/8"/21-11/16"
in cm H/W/D	82-87/60/55

Energy supply

Voltage V/Hz	115/60
--------------	--------





A Liebherr **WS 17800** satisfies your thirst for the smartest, most elegant ways to store wine in addition to adding sophisticated flair to entertainment areas while providing ideal conditions for wine to mature successfully – Constant air quality, temperature and humidity control as well as quiet, vibration free storage.

Specially developed, quiet compressors ensure that the unit has the lowest vibration possible. Liebherr uses an insulated glass door with UV protection and an activated charcoal filter to protect the wine from busy kitchen influences, such as light and odor. An innovative MagicEye touch control system makes temperature continuously adjustable from 41 °F to 68 °F (5 °C to 20 °C) depending on owner preferences and the contents of the unit. This wide range makes the control suitable for all reds, whites and champagne. Wine units are equipped with an alarm system to alert the homeowner if the door has been left open or the temperature has been compromised.

The energy efficient LED ceiling light not only emits virtually no heat, but it is dimmable to cast a cool glow across the room. As a true wine storage unit (and not just a refrigerator) the units also have heating capabilities to maintain accurate temperature when the location of the unit is colder than the desired set temperature.

Liebherr's design uses recirculated forced air-cooling and a permanent fresh air supply via an easily exchangeable activated charcoal filter. Humidity is set between 50 and 80 per cent in this unit to allow wine to breathe as it matures and to keep corks supple. Attractive solid, untreated beech wood shelves on smooth telescopic rails make selecting fine wines easy.



WS 17800 Vinidor

- Wine
- LED
- Telescopic Rails



Capacity

Total capacity cu.ft. (l)	17.7 (505)
Capacity of wine compartment cu.ft. (l)	17.7 (505)
Max. No. of Bordeaux btls 0.75 l	178

Shipping weight lbs. (kg)	335.1 (152)
----------------------------------	-------------

Climate rating	SN-ST
-----------------------	-------

Sound rating dB(A)	39*
---------------------------	-----

Door hinges	right, reversible
--------------------	-------------------

Outside dimensions

in inches H/W/D	75-5/8"/27-9/16"/29-1/4"
in cm H/W/D	192/70/74.2

Cut out dimensions

in inches H/W/D	77-1/2"/28"/27"
in cm H/W/D	196.9/71.1/68.9

Energy supply

Voltage V/Hz	115/60
--------------	--------

Accessories

Charcoal filter	7433243-00
-----------------	------------

* Noise level – sound power re 1pW – according to EN 60704-3

The Design & Lifestyle Product Advantages



LED

LED lighting: For ideal presentation, the WS 1200 features LED lighting with dimmer function. As the LEDs emit minimal heat and no UV radiation, the wine can be lit, without compromising its quality.



Accessory Drawer: This practical drawer is used for storing wine accessories or to provide the right temperature for items such as chocolate or candy to enjoy with wine.




Precision Electronics: The touch electronic control system allows the temperature to be set to the exact degree required between 41 °F (+5 °C) to 68 °F (+20 °C).



Wall mounting: The WS 1200 can also be wall mounted to save space, provide an attractive focal point and offer convenient access for serving.



Ideal humidity: The integrated water tray can accommodate one liter of distilled water for ideal humidity. Sensors regulate precise humidity level selected. The display informs when water needs to be replenished.



LED

LED lighting: Liebherr's humidor has LED lighting with dimmer function incorporated in the glass door. As the LEDs emit virtually no heat, the cigars can be exposed to the light for long periods of time without damage.



Fine cedar wood: The two presentation boxes, varying in height and the two wooden shelves are crafted from Spanish cedar wood.



Presentation boxes: Perfect for storing loose cigars and can easily be removed for presentation purposes.



WS 1200

Liebherr's **WS 1200** gives you premium wine storage in an attractive package anywhere. The well-appointed cabinet holds up to 12 Bordeaux (750 ml) on solid beech wood shelving and has a convenient drawer that can maintain a warmer temperature than the wine compartment to keep wine accessories, chocolates or candies. The ideal temperature for storing wine for prolonged periods is 46 °F (+8 °C) to 54 °F (+12 °C). White wine to be kept on hand at serving temperature should ideally be stored at a temperature below 50 °F (10 °C) and red wine at up to 64 °F (18 °C). With this in mind the touch electronic control system allows the temperature to be set to the exact degree required between 41 °F (+5 °C) to 68 °F (+20 °C). Energy efficient LED lighting can be controlled with a dimming function and a permanent "on mode" creates atmosphere without affecting the temperature of the wine.

XS 200

Liebherr's approach to refrigeration in their entire product line is to provide ideal conditions for food – The Humidor is no exception. The innovative Magic Eye control systems allows precise control to establish the proper balance of temperature and humidity so important to the optimal storage for fine cigars. The storage cabinet can be set from 60 °F to 68 °F (16 °C to 20 °C) and the humidity, controlled by a removable container for distilled water, can be set from 68% to 75% humidity depending on owner preferences.

WS 1200 GrandCru

Cigar

LED



Capacity

Total capacity cu.ft. (l) 1.7 (47)

Shipping weight lbs. (kg) 70.4 (32)

Climate rating SN

Sound rating dB(A) 42*

Door hinges right

Outside dimensions

in inches H/W/D 24-1/8"/16-3/4"/18-13/16"

in cm H/W/D 61.2/42.5/47.8

XS 200 Humidor

Cigar

LED



Capacity

Total capacity cu.ft. (l) 1.4 (39)

Shipping weight lbs. (kg) 81.6 (37)

Climate rating N

Sound rating dB(A) 42*

Door hinges right

Outside dimensions

in inches H/W/D 24-1/8"/16-3/4"/18-13/16"

in cm H/W/D 61.2/42.5/47.8

Accessories for WS 1200 and XS 200

Charcoal filter 7440699-00



* Noise level – sound power re 1pW – according to EN 60704-3

Liebherr-Canada Ltd /Appliance Division
Email: appliances@liebherr.com / www.liebherr-appliances.com
<http://m.refrigeration.liebherr.us>

Fresh ideas for your home



LIEBHERR

Quality, Design and Innovation