



# Product and Cut-out Dimensions G800 Series Slimline Dishwashers

**Miele**



## Location Codes

- C - Cutout (2 1/4" x 4") for water, drain and electric pass-through. Adjust according to water and drain location.
- D - 5 foot flexible drain hose connects lower center rear.
- E - 5 foot - 120 Volt - 15 Amp 3-wire molded plug power supply connects lower left rear.
- W - 5 foot "Double Waterproof" flexible water intake hose connects lower center rear.

## Notes

- All installations must be done in accordance with local codes
- Additional 2" in height may be attained by ordering extension feet (#2702600).
- Always use skis (included) during installation to insure proper levelling.

NOTE: Drawing is not to scale.  
SPECIFICATION SHEETS 010405

# Panel Information


## Integrated Models



### Custom Panel Installations

Some Miele dishwashers do not come equipped with a front panel. These dishwashers are designed to accept a custom door panel supplied by the cabinet maker. Miele has a unique panel integration system which allows the dishwasher to align with the surrounding cabinets.

Panel size is determined in the following manner:



**Width:** 17 1/2" in all cases

**Thickness:** 3/4" in all cases

**Height:** Determined using the following calculation:

$$\text{Panel Height} = \text{HTC} - \text{CPH} - \text{TKH}$$

**HTC** = Height to the underside of countertop

**CPH** = Control panel height (Note 1)

**TKH** = Toe-kick height

**Note 1:** Control panel height is determined by the height of the drawers in the cabinets. This height is adjustable between 4 1/2" and 5 3/4" with spacer strips provided. Additional spacer strips and foam inserts may be ordered to reach 6 1/4" in height.


**Maximum panel weight:**

White / Black	12 Pounds
Stainless Steel	9 Pounds

### GDU Kit Installations

In lieu of a custom front, Miele offers a decorative panel system called a GDU kit. GDU kits vary depending upon the model chosen. Each GDU kit contains a front panel and a toe-kick cover.

#### G800 Series Slimline GDU 45/65



This GDU accepts a custom insert:

Height: 25 11/16"

Width: 17 3/16"


Thick: 1/8"

NOTE: Drawing is not to scale.  
SPECIFICATION SHEETS 010405

Technical Information:  
Dishwashers

Miele

G800 Series




Interior cabinet height

		Height to underside of countertop							
		32 1/2	33	33 1/2	34	34 1/2	35	35 1/2	36
Toe-kick height	2 1/2								
	3								
	3 1/2								
	4								
	4 1/2								
	5								
	5 1/2								
	6								
	6 1/2								
	7								
	7 1/2								
	8								
	8 1/2								
	9								

For Integrated installations

- Acceptable combinations
- Typical American installation

Water Connection



Waterproof System

Temperature: 110° - 130° F  
Pressure: 4.5 - 145 PSI  
Drain hose: 7/8" ID - 5 feet long