

Hoshizaki America, Inc.

EFFECTIVE: October 1, 2008

October 1, 2008



EQUIPMENT PRICE LIST



"A Superior Degree of Reliability"
www.hoshizaki.com

2008



CUBE ICE MACHINES

FLAKED ICE MACHINES

CUBELET ICE MACHINES

ICE STORAGE BINS

ICE DISPENSERS

ICEMAKERS/DISPENSERS

REFRIGERATED DISPLAY CASES

SUSHI CASES

EFFECTIVE: October 1, 2008

Supercedes all previous price lists

TERMS AND CONDITIONS

Prices are F.O.B. Factory. All prices and specifications are subject to change without notice. Hoshizaki reserves the right to determine point of shipment.

TERMS:

Terms are such as the Company may extend to the purchaser.

LOST OR DAMAGED SHIPMENTS:

Whenever seller shall deliver or cause to be delivered to a common carrier any goods ordered by consignee, whether the particular common carrier shall have been designated in the shipping instructions of the consignee or not, seller shall not be responsible for any delays or damage in shipment and the common carrier to which seller shall deliver goods shipped to the consignee is hereby declared to the agent of the consignee. Therefore it is the responsibility of the consignee to file claim with the carrier for lost or damaged shipments.

WARRANTY

All units to be free from manufacturing defects, covered by:

- KM Series Cubers / DKM Ice Machine & Dispenser and Hotel/Motel Dispensers

3-Year - Parts & Labor on entire machine.

5-Year - Parts & Labor on Evaporator.

5-Year - Parts on Compressor, Air-Cooled Condenser Coil.

- AM-50 Series Cubers

2-Year - Parts & Labor on entire machine.

- AM-150 Series Cubers

3-Year - Parts & Labor on entire machine.

5-Year - Parts on Compressor and Air Cooled Condenser Coil.

5-Year - Parts on Evaporator.

- Flakers and Cubelet Ice Maker/Dispensers

2-Year - Parts & Labor on entire machine. (Effective March 1, 2000).

5-Year - Parts on Compressor, Air-Cooled Condenser Coil.

- Bins

2-Year - Parts & Labor on Slope Front Bin & DM Dispenser.

5-Year - Parts & Labor on all upright bin models.

- Refrigerated Display Cases

1-Year - Parts & Labor on entire machine.

2-Year - Parts & Labor on Compressor, Evaporator, Air-Cooled Condenser.

5-Year - Parts on Compressor, Air-Cooled Condenser.


- Accessories

90 Day - Parts only.

- Warranty


Warranty valid in United States, Canada, Puerto Rico, & U.S. Territories only. Contact Factory for Warranty in other Countries. Refer to manufacturer's full warranty for complete details. Suggested List Prices are intended only as a guide. This does not restrict the price seller may establish due to market conditions.

ICEMAKER MODEL NUMBER IDENTIFICATION CODE



DIMENSIONS **MODEL** **CONDENSING** **ELECTRICAL** **LBS. OF ICE** **SHIPPING** **REFRIGERANT** **LIST F.O.B.**
W x D x H **NUMBER** **UNIT** **PER 24 HRS.** **WEIGHT (LBS.)** **PTC**

Self-Contained AM Top Hat Style Ice Cubers with built-in ice storage



147/8 x 225/8 x 331/2"

AM-50 Series Cubers with up to 22 lbs. of built-in storage



AM-50BAE	Air-Cooled	115/60/1	55 Lbs.	115 Lbs.	R-134A	\$2,730
AM-50BAE-DS*	Air-Cooled	115/60/1	55 Lbs.	115 Lbs.	R-134A	\$2,870
AM-50BAE-AD	Air-Cooled	115/60/1	55 Lbs.	115 Lbs.	R-134A	\$2,870
The ADA compliant machine dimensions are 147/8" width x 225/8" depth x 311/2" height						
AM-50BAE-ADDS*	Air-Cooled	115/60/1	55 Lbs.	115 Lbs.	R-134A	\$2,970
The ADA compliant machine dimensions are 147/8" width x 225/8" depth x 311/2" height						
* -DS Models - Wood Door System (Designed to accommodate custom cabinetry)						
OPTIONAL Drain Pump - HS-0190						
Side Trim Kit - HS-0182						
						\$550
						\$160

147/8 x 225/8 x 311/2"
 -ADA Compliant Dimensions

2711/16 x 2715/16 x *39"




AM-150 Series Cubers with up to 88 lbs. of built-in storage

AM-150BWF	Water-Cooled	115/60/1	150 Lbs.	192 Lbs.	R-404A	\$3,570
------------------	--------------	----------	----------	----------	--------	----------------

AM Series ice production is calculated at 70° Air At / 50° water




Self-Contained KM Crescent Ice Cubers with built-in ice storage



173/4 x 24 x *39"


KM-61B Series Cubers with up to 38 lbs. of built-in storage



KM-61BAH	Air-Cooled	115/60/1	49 Lbs.	117 Lbs.	R-134A	\$2,750
OPTIONAL Drain Pump - HS-0190 & HS-0215 (HS-0215 - No Charge)						\$550

KM-101B Series Cubers with up to 53 lbs. of built-in storage

233/4 x 24 x *39"
KM-101BAH




KM-101BAH*	Air-Cooled	115/60/1	88 Lbs.	136 Lbs.	R-134A	\$3,130
OPTIONAL Drain Pump - HS-0190 & HS-0215 (HS-0215 - No Charge)						\$550

*KM-101BAH is Energy Star certified



KM-151B Series Cubers with up to 78 lbs. of built-in storage

233/4 x 28 x *39"
KM-151BAH



KM-151BAH*	Air-Cooled	115/60/1	121 Lbs.	150 Lbs.	R-134A	\$3,500
-------------------	------------	----------	----------	----------	--------	----------------

*KM-151BAH is Energy Star certified



*Height includes 6" legs



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)


REFRIGERANT

LIST F.O.B.
PTC



Self-Contained KM Crescent Ice Cubers with built-in ice storage...Cont'd

30 x 28 x *39"




*Height includes 6" legs

KM-255B Series Crescent Cubers with 120 lbs. of built-in storage

KM-255BAH	Air-Cooled	115/60/1	235 Lbs.	220 Lbs.	R-404A	\$4,430
KM-250BWF	Water-Cooled	115/60/1	207 Lbs.	190 Lbs.	R-404A	\$4,430

KM-255BAH is CEC Compliant
KM-250BWF - Dimensions - 25 x 28 x 39" (*height includes 6" legs)
- 100 lbs. of built-in storage



Modular KML Low-Profile Crescent Ice Cubers

30 x 27 3/8 x 22"




Low Profile

KML-250M Series Crescent Cubers

KML-250MAH	Air-Cooled	115/60/1	238 Lbs.	185 Lbs.	R-404A	\$3,750
KML-250MWH	Water-Cooled	115/60/1	287 Lbs.	185 Lbs.	R-404A	\$3,750

CEC Compliant
See page 15 for bin and top kit selection

30 x 27 3/8 x 22"




Low Profile

KML-351M Series Crescent Cubers

KML-351MAH	Air-Cooled	115/60/1	322 Lbs.	185 Lbs.	R-404A	\$4,110
KML-351MWH	Water-Cooled	115/60/1	327 Lbs.	185 Lbs.	R-404A	\$4,110

See page 15 for bin and top kit selection

30 x 27 3/8 x 22"



Low Profile

KML-451M Series Crescent Cubers

KML-451MAH	Air-Cooled	115/60/1	349 Lbs.	185 Lbs.	R-404A	\$4,200
KML-451MWH	Water-Cooled	115/60/1	397 Lbs.	185 Lbs.	R-404A	\$4,200

CEC Compliant
See page 15 for bin and top kit selection

30 x 27 3/8 x 26"



Low Profile

KML-631M Series Crescent Cubers

KML-631MAH	Air-Cooled	208-230/60/1**	501 Lbs.	220 Lbs.	R-404A	\$5,000
KML-631MWH	Water-Cooled	208-230/60/1**	630 Lbs.	220 Lbs.	R-404A	\$5,000
KML-631MRH*	Remote Air-Cooled	208-230/60/1**	589 Lbs.	220 Lbs.	R-404A	\$4,900

CEC Compliant
**3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-9F Remote Condenser for Remote Air-Cooled Unit

*KML-631MRH is Energy Star certified



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)


REFRIGERANT

LIST F.O.B.
PTC



Modular KMD Crescent Ice Cubers / Dispenser Application*

30 x 24^{5/8} x 28"



KMD-700M Series Crescent Cubers

KMD-700MAH	Air-Cooled	208-230/60/1	539 Lbs.	245 Lbs.	R-404A	\$5,300
KMD-700MWH	Water-Cooled	208-230/60/1	611 Lbs.	245 Lbs.	R-404A	\$5,300
KMD-700MRH	Remote Air-Cooled	208-230/60/1	679 Lbs.	245 Lbs.	R-404A	\$5,200


Use URC-12F Remote Condenser for Remote Air-Cooled Unit

Top Kit available B-800 bin

*Beverage dispenser not available through Hoshizaki

**Check bin guide for appropriate Top Kit

30 x 24^{5/8} x 28"



KMD-850M Series Crescent Cubers

KMD-850MAH	Air-Cooled	208-230/60/1	639 Lbs.	249 Lbs.	R-404A	\$6,200
KMD-850MWH	Water-Cooled	208-230/60/1	815 Lbs.	249 Lbs.	R-404A	\$6,200
KMD-850MRH*	Remote Air-Cooled	208-230/60/1	698 Lbs.	235 Lbs.	R-404A	\$6,100

Use URC-9F Remote Condenser for Remote Air-Cooled Unit

Top Kit available B-800 bin


*Beverage dispenser not available through Hoshizaki

**Check bin guide for appropriate Top Kit

*KMD-850MRH is Energy Star certified



42 x 24^{5/8} x 28"
KMD-901MAH



KMD-901M Series Crescent Cubers

KMD-901MAH	Air-Cooled	208-230/60/1	801 Lbs.	278 Lbs.	R-404A	\$7,000
KMD-901MWH	Water-Cooled	208-230/60/1	870 Lbs.	251 Lbs.	R-404A	\$7,000
KMD-901MRH*	Remote Air-Cooled	208-230/60/1	775 Lbs.	258 Lbs.	R-404A	\$6,900

Use URC-9F Remote Condenser for Remote Air-Cooled Unit

Top Kit available B-800 bin

*Beverage dispenser not available through Hoshizaki


**Check bin guide for appropriate Top Kit

*KMD-901MRH is Energy Star certified




30 x 24^{5/8} x 28"
KMD-901MWH
& KMD-901MRH

KMD Series ice production is calculated at 90° Air/ 70° Water in accordance with ARI Standard



Serenity Series Modular Crescent Ice Cubers

30 x 24 x 28"



KMS-750M Series Crescent Cubers

KMS-750MLH*	Remote Air-Cooled	208-230/60/1**	700 Lbs.	163 Lbs.	R-404A	\$6,210
--------------------	-------------------	----------------	----------	----------	--------	----------------

CEC Compliant

**3 wire with neutral for 115V

Use SRK-7H Remote Condenser for Remote Air-Cooled Unit


**Check bin guide for appropriate Top Kit & HS-0224 (required)

*KMS-750MLH is Energy Star certified



\$100

30 x 24 x 28"



KMS-1400M Series Crescent Cubers

KMS-1400MLH	Remote Air-Cooled	208-230/60/1**	1142 Lbs.	177 Lbs.	R-404A	\$7,170
--------------------	-------------------	----------------	-----------	----------	--------	----------------

CEC Compliant

**3 wire with neutral for 115V

Use SRK-14H Remote Condenser for Remote Air-Cooled Unit

**Check bin guide for appropriate Top Kit & HS-0224 (required)

\$100



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)

REFRIGERANT


LIST F.O.B.
PTC



Modular KM Crescent Ice Cubers

KM-320M Series Crescent Cubers

22 x 27³/₈ x 30⁵/₁₆"



KM-320MAH*	Air-Cooled	115/60/1	278 Lbs.	153 Lbs.	R-404A	\$3,940
KM-320MWH	Water-Cooled	115/60/1	337 Lbs.	153 Lbs.	R-404A	\$3,940
KM-320MAH-E*	Air-Cooled	220-240/50/1	133 Kgs.	174 Lbs.	R-404A	\$3,990

KM-320M_H are CEC Compliant

See page 15 for bin and top kit selection


* "E" suffix designates 50 hertz models - production rates calculated at 70° Air/50° Water

*KM-320MAH is Energy Star certified



22 x 27³/₈ x 30⁵/₁₆"

KM-461M Series Crescent Cubers



KM-461MRH*	Remote Air-Cooled	115/60/1	396 Lbs.	175 Lbs.	R-404A	\$4,000
-------------------	----------------------	----------	----------	----------	--------	----------------

CEC Compliant

See page 15 for bin and top kit selection


Use URC-5F Remote Condenser for Remote Air-Cooled Unit

*KM-461MRH is Energy Star certified



22 x 27³/₈ x 30⁵/₁₆"

KM-515M Series Crescent Cubers



KM-515MAH	Air-Cooled	115/60/1	435 Lbs.	175 Lbs.	R-404A	\$4,260
KM-515MWH	Water-Cooled	115/60/1	475 Lbs.	175 Lbs.	R-404A	\$4,260
KM-515MRH*	Remote Air-Cooled	115/60/1	452 Lbs.	175 Lbs.	R-404A	\$4,160
KM-515MAH-E*	Air-Cooled	220-240/50/1	233 Kgs.	175 Lbs.	R-404A	\$4,480

See page 15 for bin and top kit selection

Use URC-5F Remote Condenser for Remote Air-Cooled Unit


* "E" suffix designates 50 hertz models - production rates calculated at 70° Air/50° Water

*KM-515MRH is Energy Star certified



22 x 27³/₈ x 37⁷/₁₆"

KM-600M Series Crescent Cubers



KM-600MAH	Air-Cooled	115-120/60/1	503 Lbs.	200 Lbs.	R-404A	\$4,950
------------------	------------	--------------	----------	----------	--------	----------------

See page 15 for bin and top kit selection


115 - 120V Supply Voltage

*KM-600MAH is Energy Star certified



22 x 27³/₈ x 37⁷/₁₆"

KM-650M Series Crescent Cubers



KM-650MAH	Air-Cooled	208-230/60/1**	512 Lbs.	200 Lbs.	R-404A	\$4,950
KM-650MWH	Water-Cooled	208-230/60/1**	662 Lbs.	200 Lbs.	R-404A	\$4,950
KM-650MRH*	Remote Air-Cooled	208-230/60/1**	554 Lbs.	200 Lbs.	R-404A	\$4,850
KM-650MAH-E*	Air-Cooled	220-240/50/1**	296 Kgs.	200 Lbs.	R-404A	\$5,120

KM-650M_H are CEC Compliant

** 3 wire with neutral for 115V - See page 15 for bin and top kit selection

Use URC-5F Remote Condenser for Remote Air-Cooled Unit

* "E" suffix designates 50 hertz models - production rates calculated at 70° Air/ 50° Water

*KM-650MRH is Energy Star certified



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)

REFRIGERANT


LIST F.O.B.
PTC



Modular KM Crescent Ice Cubers...Cont'd

30 x 27³/₈ x 37⁷/₁₆"

KM-901M Series Crescent Cubers




KM-901MAH	Air-Cooled	208-230/60/1**	732 Lbs.	256 Lbs.	R-404A	\$6,600
KM-901MWH	Water-Cooled	208-230/60/1**	835 Lbs.	249 Lbs.	R-404A	\$6,600
KM-901MRH	Remote Air-Cooled	208-230/60/1**	785 Lbs.	249 Lbs.	R-404A	\$6,500
KM-901MRH3	Remote Air-Cooled	208-230/60/3	815 Lbs.	258 Lbs.	R-404A	\$6,600

** 3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-9F Remote Condenser for Remote Air-Cooled Unit

48 x 27³/₈ x 27³/₈"

KM-1300S Series Stackable Crescent Cubers



KM-1300SAH	Air-Cooled	208-230/60/1**	1143 Lbs.	325 Lbs.	R-404A	\$8,450
KM-1300SAH3*	Air-Cooled	208-230/60/3	1132 Lbs.	325 Lbs.	R-404A	\$8,550
KM-1300SWH	Water-Cooled	208-230/60/1**	1278 Lbs.	325 Lbs.	R-404A	\$8,450
KM-1300SWH3	Water-Cooled	208-230/60/3	1287 Lbs.	325 Lbs.	R-404A	\$8,550
KM-1300SRH	Remote Air-Cooled	208-230/60/1**	1163 Lbs.	325 Lbs.	R-404A	\$8,350
KM-1300SRH3*	Remote Air-Cooled	208-230/60/3	1266 Lbs.	325 Lbs.	R-404A	\$8,450
KM-1300SAH-E*	Air-Cooled	220-240/50/1	544 Kgs.	325 Lbs.	R-404A	\$9,090


CEC Compliant
* "E" suffix designates 50 hertz models - production rates calculated at 70° Air/ 50° Water
** 3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-12F Remote Condenser for Remote Air-Cooled Unit

*KM-1300SAH3 & KM-1300SRH3 are Energy Star certified



30 x 27³/₈ x 41¹/₂"

KM-1340M Series Crescent Cubers



KM-1340MAH*	Air-Cooled	208-230/60/1**	1167 Lbs.	315 Lbs.	R-404A	\$8,450
KM-1340MWH	Water-Cooled	208-230/60/1**	1327 Lbs.	293 Lbs.	R-404A	\$8,450
KM-1340MRH*	Remote Air-Cooled	208-230/60/1**	1251 Lbs.	289 Lbs.	R-404A	\$8,350


CEC Compliant
** 3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-14F Remote Condenser for Remote Air-Cooled Unit

*KM-1340MAH & KM-1340MRH are Energy Star certified



30 x 27³/₈ x 41¹¹/₁₆"

KM-1601M Series Crescent Cubers



KM-1601MRH*	Remote Air-Cooled	208-230/60/1**	1422 Lbs.	316 Lbs.	R-404A	\$10,400
KM-1601MRH3*	Remote Air-Cooled	208-230/60/3	1392 Lbs.	316 Lbs.	R-404A	\$10,500

CEC Compliant
** 3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-21F Remote Condenser for Remote Air-Cooled Unit

*KM-1601MRH & KM-1601MRH3 are Energy Star certified



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)


REFRIGERANT

LIST F.O.B.
PTC



Modular KM Crescent Ice Cubers...Cont'd

48 x 27³/₈ x 27³/₈"



KM-1601S Series Stackable Crescent Cubers

KM-1601SWH	Water-Cooled	208-230/60/1**	1523 Lbs.	360 Lbs.	R-404A	\$10,400
KM-1601SWH3	Water-Cooled	208-230/60/3	1565 Lbs.	360 Lbs.	R-404A	\$10,500
KM-1601SRH*	Remote Air-Cooled	208-230/60/1**	1472 Lbs.	350 Lbs.	R-404A	\$10,400
KM-1601SRH3	Remote Air-Cooled	208-230/60/3	1459 Lbs.	350 Lbs.	R-404A	\$10,500

CEC Compliant

** 3 wire with neutral for 115V


See page 15 for bin and top kit selection

Use URC-21F Remote Condenser for Remote Air-Cooled Unit

*KM-1601SRH is Energy Star certified



48 x 27³/₈ x 36⁷/₁₆"



KM-1800S Series Stackable Crescent Cubers

KM-1800SAH	Air-Cooled	208-230/60/1**	1539 Lbs.	410 Lbs.	R-404A	\$11,250
KM-1800SAH3*	Air-Cooled	208-230/60/3	1532 Lbs.	410 Lbs.	R-404A	\$11,350
KM-1800SWH	Water-Cooled	208-230/60/1**	1797 Lbs.	440 Lbs.	R-404A	\$11,250
KM-1800SWH3	Water-Cooled	208-230/60/3	1778 Lbs.	440 Lbs.	R-404A	\$11,350
KM-1800SRH	Remote Air-Cooled	208-230/60/1**	1651 Lbs.	410 Lbs.	R-404A	\$11,150
KM-1800SRH3	Remote Air-Cooled	208-230/60/3	1595 Lbs.	410 Lbs.	R-404A	\$11,250

CEC Compliant

** 3 wire with neutral for 115V


See page 15 for bin and top kit selection

Use URC-20F Remote Condenser for Remote Air-Cooled Unit

*KM-1800SAH3 is Energy Star certified



48 x 27³/₈ x 36⁷/₁₆"



KM-2000S Series 3-Phase Stackable Crescent Cubers

KM-2000SWH3	Water-Cooled	208-230/60/3	1864 Lbs.	400 Lbs.	R-404A	\$13,550
KM-2000SRH3*	Remote Air-Cooled	208-230/60/3	1748 Lbs.	400 Lbs.	R-404A	\$13,450

CEC Compliant


See page 15 for bin and top kit selection

Use URC-20F Remote Condenser for Remote Air-Cooled Unit

*KM-2000SRH3 is Energy Star certified



48 x 27³/₈ x 36⁷/₁₆"



KM-2400S Series 3-Phase Stackable Crescent Cubers

KM-2400SRH3	Remote Air-Cooled	208-230/60/3	2321 Lbs.	425 Lbs.	R-404A	\$15,550
--------------------	-------------------	--------------	-----------	----------	--------	-----------------

CEC Compliant

See page 15 for bin and top kit selection

Use URC-24F Remote Condenser for Remote Air-Cooled Unit



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT

ELECTRICAL

LBS. OF ICE
PER 24 HRS.


SHIPPING
WEIGHT (LBS.)

REFRIGERANT

LIST F.O.B.
PTC

Self-Contained Flakers with built-in ice storage

24 x 26 x *39"



F-330B Series Flakers with 80 lbs. of built-in storage

F-330BAH	Air-Cooled	115/60/1	330 Lbs.	178 Lbs.	R-404A	\$5,660
Leg Package (LP-6P LEG) included OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130

36 x 24 x *39"



F-300B Series Flakers with 110 lbs. of built-in storage

F-300BAF	Air-Cooled	115/60/1	303 Lbs.	210 Lbs.	R-404A	\$6,480
Leg Package (LP-6P LEG) included OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130

38 x 29 x *42"




F-500B Series Flakers with 250 lbs. of built-in storage

F-500BAF	Air-Cooled	115/60/1	478 Lbs.	270 Lbs.	R-404A	\$7,610
Leg Package (LP-6P LEG) included OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130

Modular Flakers


21⁷/₈ x 27³/₈ x 22"



F-450M Series Flakers

F-450MAH	Air-Cooled	115/60/1	476 Lbs.	175 Lbs.	R-404A	\$5,310
See page 15 for bin and top kit selection						


22 x 27³/₈ x 25¹⁵/₁₆"



F-801M Series Flakers

F-801MAH	Air-Cooled	115/60/1	823 Lbs.	205 Lbs.	R-404A	\$6,680
F-801MWH	Water-Cooled	115/60/1	720 Lbs.	205 Lbs.	R-404A	\$6,680
See page 15 for bin and top kit selection						

22 x 27³/₈ x 25¹⁵/₁₆"



F-1001M Series Flakers

F-1001MAH	Air-Cooled	208-230/60/1**	970 Lbs.	210 Lbs.	R-404A	\$8,400
F-1001MWH	Water-Cooled	208-230/60/1**	890 Lbs.	210 Lbs.	R-404A	\$8,400
F-1001MRH	Remote Air-Cooled	208-230/60/1**	930 Lbs.	210 Lbs.	R-404A	\$8,300
F-1001MLH	Parallel Rack System	115/60/1	1150 Lbs.	150 Lbs.	R-404A	\$7,300

**3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-6F Remote Condenser for Remote Air-Cooled Unit

DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT

ELECTRICAL

LBS. OF ICE
PER 24 HRS.


SHIPPING
WEIGHT (LBS.)

REFRIGERANT

LIST F.O.B.
PTC

Modular Flakers...Cont'd

30 x 27 1/2 x 34 7/16"




F-1500M Series Flakers

F-1500MAH	Air-Cooled	208-230/60/1**	1590 Lbs.	325 Lbs.	R-404A	\$11,200
F-1500MWH	Water-Cooled	208-230/60/1**	1435 Lbs.	325 Lbs.	R-404A	\$11,200
F-1500MRH	Remote Air-Cooled	208-230/60/1**	1585 Lbs.	325 Lbs.	R-404A	\$11,100

**3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-12F Remote Condenser for Remote Air-Cooled Unit

30 x 27 1/2 x 34 7/16"




F-2000M Series Flakers


F-2000MWH	Water-Cooled	208-230/60/1**	2030 Lbs.	350 Lbs.	R-404A	\$15,550
F-2000MRH	Remote Air-Cooled	208-230/60/1**	1990 Lbs.	350 Lbs.	R-404A	\$15,450
F-2000MRH3	Remote Air-Cooled	208-230/60/3	2010 Lbs.	350 Lbs.	R-404A	\$15,550
F-2000MLH	Parallel Rack System	115/60/1	2280 Lbs.	250 Lbs.	R-404A	\$13,600

**3 wire with neutral for 115V
See page 15 for bin and top kit selection
Use URC-20F Remote Condenser for Remote Air-Cooled Unit

Serenity Series Modular Cubelets



30 x 11 x 26"



FS-1001MLH-C Series Cubelets


FS-1001MLH-C	Remote Air-Cooled	115/60/1	830 Lbs.	166 Lbs.	R-404A	\$8,100
SRC-10H	Condensing Unit	230/60/1	200 Lbs.	169 Lbs.	R-404A	\$2,500
Tubing Kits						
R404-20410 Line Set Serenity						\$260
R404-35410 Line Set Serenity						\$350
R404-55410 Line Set Serenity						\$460

30 1/4 x 25 3/8 x 34 7/8" (Dimensions include legs)



Self-Contained Cubelets with built-in ice storage

14 7/8 x 22 5/8 x 31 1/2"



C-100B Series Cubelet with up to 22 lbs. of built-in storage

C-100BAE-AD	Air-Cooled	115/60/1	92 Lbs.	115 Lbs.	R-134A	\$3,950
-AD - Complies with the Americans with Disabilities Act (ADA)						
OPTIONAL Drain Pump - HS-0190						\$550
2" Top Spacer Kit available - HS-2133						\$100



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING
UNIT


ELECTRICAL

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)

REFRIGERANT


LIST F.O.B.
PTC



Self-Contained Cubelets with built-in ice storage

24 x 26 x *39"

F-330B-C Series Cubelet with 80 lbs. of built-in storage




F-330BAH-C	Air-Cooled	115/60/1	330 Lbs.	178 Lbs.	R-404A	\$5,820
Leg Package (LP-6P LEG) included OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130

Modular Cubelets

21⁷/₈ x 27³/₈ x 22"

F-450M-C Series Cubelets



F-450MAH-C	Air-Cooled	115/60/1	426 Lbs.	175 Lbs.	R-404A	\$5,410
See page 15 for bin and top kit selection						

22 x 27³/₈ x 25¹⁵/₁₆"


F-801M-C Series Cubelets



F-801MAH-C	Air-Cooled	115/60/1	752 Lbs.	205 Lbs.	R-404A	\$6,780
F-801MWH-C	Water-Cooled	115/60/1	645 Lbs.	205 Lbs.	R-404A	\$6,780
See page 15 for bin and top kit selection HS-2110 - Required for Ice Beverage Application						\$100

22 x 27³/₈ x 25¹⁵/₁₆"


F-1001M-C Series Cubelets



F-1001MAH-C	Air-Cooled	208-230/60/1**	860 Lbs.	210 Lbs.	R-404A	\$8,500
F-1001MWH-C	Water-Cooled	208-230/60/1**	790 Lbs.	210 Lbs.	R-404A	\$8,500
F-1001MRH-C	Remote Air-Cooled	208-230/60/1**	840 Lbs.	210 Lbs.	R-404A	\$8,400
**3 wire with neutral for 115V HS-2110 - Required for Ice Beverage Application See page 15 for bin and top kit selection Use URC-6F Remote Condenser for Remote Air-Cooled Unit						\$100

30 x 27¹/₂ x 34⁷/₁₆"


F-1500M-C Series Cubelets



F-1500MAH-C	Air-Cooled	208-230/60/1**	1300 Lbs.	325 Lbs.	R-404A	\$11,300
F-1500MWH-C	Water-Cooled	208-230/60/1**	1125 Lbs.	325 Lbs.	R-404A	\$11,300
F-1500MRH-C	Remote Air-Cooled	208-230/60/1**	1335 Lbs.	325 Lbs.	R-404A	\$11,200
**3 wire with neutral for 115V See page 15 for bin and top kit selection Use URC-12F Remote Condenser for Remote Air-Cooled Unit						

30 x 27¹/₂ x 34⁷/₁₆"


F-2000M-C Series Cubelets



F-2000MRH-C	Remote Air-Cooled	208-230/60/1**	1715 Lbs.	342 Lbs.	R-404A	\$15,550
**3 wire with neutral for 115V See page 15 for bin and top kit selection Use URC-20F Remote Condenser for Remote Air-Cooled Unit						

Remote Condensers

24 x 18¹/₈ x 32¹³/₁₆"



Dimensions include legs

URC-5F Remote Condenser

URC-5F for use with **KM-461MRH, KM-515MRH, KM-650MRH**

	115/60/1	60 Lbs.	R-404A	\$1,230
Tubing Kit: R404-2046-2	20' Pre-charged		R-404A	\$260
R404-3546-2	35' Pre-charged		R-404A	\$350
OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)				\$130

24 x 18¹/₈ x 32¹³/₁₆"




Dimensions include legs

URC-6F Remote Condenser

URC-6F for use with **F-1001MRH(-C)**

	115/60/1	60 Lbs.	R-404A	\$1,240
Tubing Kit: R404-2046-2	20' Pre-charged		R-404A	\$260
R404-3546-2	35' Pre-charged		R-404A	\$350
OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)				\$130

52³/₈ x 19¹/₂ x 43"



Dimensions include legs

SRK-7H Remote Condenser

SRK-7H for use with **KMS-750MLH**

	230/60/1	240 Lbs.	R-404A	\$2,180
Tubing Kit: R404-20810	20' Pre-charged		R-404A	\$260
R404-35810	35' Pre-charged		R-404A	\$350
R404-55810	55' Pre-charged		R-404A	\$460

30³/₈ x 18¹/₈ x 34¹³/₁₆"




Dimensions include legs

URC-9F Remote Condenser

URC-9F for use with **KML-631MRH, KMD-850MRH, KM-901MRH(3), KMD-901MRH**

	115/60/1	95 Lbs.	R-404A	\$1,240
Tubing Kit: R404-2068-2	20' Pre-charged		R-404A	\$260
R404-3568-2	35' Pre-charged		R-404A	\$350
OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)				\$130

30¹/₄ x 25³/₈ x 34⁷/₈"



Dimensions include legs

SRC-10H Remote Condenser

SRC-10H for use with **FS-1001MLH-C**

	230/60/1	180 Lbs.	R-404A	\$2,500
Tubing Kit: R404-20410	20' Pre-charged		R-404A	\$260
R404-35410	35' Pre-charged		R-404A	\$350
R404-55410	55' Pre-charged		R-404A	\$460

Remote Condensers...Cont'd

URC-12F Remote Condenser

37¹³/₁₆ x 18¹/₈ x 37"



Dimensions include legs

URC-12F for use with **KM-1300SRH(3), KMD-700MRH, F-1500MRH(-C)**
115/60/1

110 Lbs.

R-404A

\$1,330

Tubing Kit: **R404-2068-2** 20' Pre-charged

R-404A

\$260

R404-3568-2 35' Pre-charged

R-404A

\$350

R404-5568-2 55' Pre-charged

R-404A


\$460

OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)

\$130

SRK-14H Remote Condenser

52³/₈ x 19¹/₂ x 43"



Dimensions include legs

SRK-14H for use with **KMS-1400MLH**

230/60/1

270 Lbs.

R-404A

\$2550

Tubing Kit: **R404-20810** 20' Pre-charged

R-404A

\$260

R404-35810 35' Pre-charged

R-404A

\$350

R404-55810 55' Pre-charged

R-404A

\$460

URC-14F Remote Condenser

37¹³/₁₆ x 18¹/₈ x 37"



Dimensions include legs

URC-14F for use with **KM-1340MRH**

115/60/1

110 Lbs.

R-404A

\$1,330

Tubing Kit: **R404-2068-2** 20' Pre-charged

R-404A

\$260

R404-3568-2 35' Pre-charged

R-404A

\$350

R404-5568-2 55' Pre-charged

R-404A

\$460

OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)

\$130

URC-20F Remote Condenser

48⁷/₁₆ x 18¹/₈ x 40⁷/₈"



Dimensions include legs

URC-20F for use with **KM-1800SRH(3), KM-2000SRH3, F-2000MRH(3)(-C)**

115/60/1

145 Lbs.

R-404A

\$1,940

Tubing Kit: **R404-20610** 20' Pre-charged

R-404A

\$260

R404-35610 35' Pre-charged

R-404A

\$350

R404-55610 55' Pre-charged

R-404A


\$460

OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)

\$130

URC-21F Remote Condenser

48⁷/₁₆ x 18¹/₈ x 40⁷/₈"



Dimensions include legs

URC-21F for use with **KM-1601MRH(3), KM-1601SRH(3)**

115/60/1

165 Lbs.

R-404A

\$1,820

Tubing Kit: **R404-20610** 20' Pre-charged

R-404A

\$260

R404-35610 35' Pre-charged

R-404A

\$350

R404-55610 55' Pre-charged

R-404A


\$460

OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)

\$130

URC-24F Remote Condenser

43³/₄ x 19³/₄ x 36"



URC-24F for use with **KM-2400SRH3**

208-230/60/1

210 Lbs.

R-404A

\$2,830

Tubing Kit: **R404-20610** 20' Pre-charged

R-404A

\$260

R404-35610 35' Pre-charged

R-404A

\$350

R404-55610 55' Pre-charged

R-404A

\$460

OS Quick - Universal Quick-Disconnect Kit (not required if line set is ordered)

\$130

DIMENSIONS
W x D x H

MODEL
NUMBER

BIN STYLE

SHIPPING
WEIGHT (LBS.)

LIST F.O.B.
PTC

Ice Storage Bins

30 x 32 1/2 x 33 3/8"



B-250 Series with ARI capacity of 230 Lbs. storage

B-250PF	Vinyl Clad	130 Lbs.	\$1,190
Painted leg included			
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available			\$130
Order 8" Top Kit (HS-2033) to accommodate 22" wide ice machines			\$120

22 x 32 1/2 x 46"



B-300 Series with ARI capacity of 260 Lbs. storage

B-300SF	Stainless Steel	135 Lbs.	\$1,490
B-300PF	Vinyl Clad	135 Lbs.	\$1,360
Painted flange leg included			
OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170


30 x 32 1/2 x 46"



B-500 Series with ARI capacity of 360 Lbs. storage

B-500SF	Stainless Steel	155 Lbs.	\$1,630
B-500PF	Vinyl Clad	155 Lbs.	\$1,500
Painted leg included			
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available			\$130
Order 8" Top Kit (HS-2033) to accommodate 22" wide ice machines			\$120
Top Kit: KMD application			HS-2129
			\$180
KMS application (Mechanical Bin Control)			HS-0224 *refer to Top Kit Matrix for necessary configurations
			\$100


44 x 32 1/2 x 46"



B-700 Series with ARI capacity of 550 Lbs. storage

B-700SF	Stainless Steel	200 Lbs.	\$2,070
B-700PF	Vinyl Clad	200 Lbs.	\$1,660
Painted leg included			
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available			\$130
Order 22" Top Kit (HS-2035) to accommodate 22" wide ice machines			\$140
Order 14" Top Kit (HS-2034) to accommodate 30" wide ice machines			\$130
Top Kit: KMD application			HS-2130
			\$210
KMS application (Mechanical Bin Control)			HS-0224 *refer to Top Kit Matrix for necessary configurations
			\$100


48 x 32 1/2 x 46"



B-800 Series with ARI capacity of 600 Lbs. storage

B-800SF	Stainless Steel	210 Lbs.	\$2,170
B-800PF	Vinyl Clad	210 Lbs.	\$1,790
Painted leg included			
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available			\$130
Order 22" Top Kit (HS-2035) & 4" Top Kit (HS-2032) to accommodate 22" wide ice machines			\$250
Order 4" Top Kit (HS-2032) to accommodate (2)22" wide ice machines			\$110
Order 14" Top Kit (HS-2034) & 4" Top Kit (HS-2032) to accommodate 30" wide machines			\$240
Top Kit: KMD application			HS-2131
			\$270
KMS application (Mechanical Bin Control)			HS-0224 *refer to Top Kit Matrix for necessary configurations
			\$100

52 x 32 1/2 x 46"



B-900 Series with ARI capacity of 660 Lbs. storage

B-900SF	Stainless Steel	220 Lbs.	\$2,280
B-900PF	Vinyl Clad	220 Lbs.	\$1,960
Painted leg included			
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available			\$130
Order 22" Top Kit (HS-2035) to accommodate 30" wide ice machines			\$140
Order 22" Top Kit (HS-2035) & 8" Top Kit (HS-2033) to accommodate 22" wide ice machines			\$260
Order 8" Top Kit (HS-2033) to accommodate (2)22" wide machines			\$120
Order 4" Top Kit (HS-2032) to accommodate 48" wide ice machines			\$110
Top Kit: KMD application			HS-2132
			\$330
KMS application (Mechanical Bin Control)			HS-0224 *refer to Top Kit Matrix for necessary configurations
			\$100

Ice Storage Bins

48 x 41** x 60"

B-1150 Series with application capacity of 1150 Lbs. storage




Height includes 6" legs

B-1150SS	Stainless Steel	345 Lbs.	\$4,690
-----------------	-----------------	----------	----------------

Die-cast legs included
New baffle design increases ice accessibility by 30%
*Universal top included - Check Top Kit Application Guide for detail
**Depth including 10" for door installation

48 x 41** x 66"

B-1300 Series with application capacity of 1275 Lbs. storage




Height includes 6" legs

B-1300SS	Stainless Steel	365 Lbs.	\$4,790
-----------------	-----------------	----------	----------------

Die-cast legs included
New baffle design increases ice accessibility by 30%
*Universal top included - Check Top Kit Application Guide for detail
**Depth including 10" for door installation

60 x 41** x 62"

B-1500 Series with application capacity of 1500 Lbs. storage




Height includes 6" legs

B-1500SS	Stainless Steel	395 Lbs.	\$5,410
-----------------	-----------------	----------	----------------

Die-cast legs included
New baffle design increases ice accessibility by 30%
*Universal top included - Check Top Kit Application Guide for detail, some applications require Top Kit (HS-2111)
**Depth including 10" for door installation

60 x 41** x 66"

B-1650 Series with application capacity of 1605 Lbs. storage



Height includes 6" legs

B-1650SS	Stainless Steel	415 Lbs.	\$5,590
-----------------	-----------------	----------	----------------

Die-cast legs included
New baffle design increases ice accessibility by 30%
*Universal top included - Check Top Kit Application Guide for detail, some applications require Top Kit (HS-2111)
**Depth including 10" for door installation

Top Kit Application

Ice Machines



Bins

22" Width	30" Width	30" Width	42" Width	44" Width	48" Width	60" Width
KM-320M KM-461M KM-515M KM-600M KM-650M F-450M F-801M F-1001M	KM-901M KM-1340M KM-1601M KML Series F-1500M F-2000M	KMD-700M KMD-850M KMD-901MRH KMD-901MWH KMS Series*	KMD-901MAH	2 KM-320M 2 KM-461M 2 KM-515M 2 KM-600M 2 KM-650M 2 F-450M 2 F-801M 2 F-1001M	KM-1300S KM-1600S KM-1601S KM-1800S KM-2000S KM-2400S	2 KM-1340M 2 KM-1601M 2 KML Series 2 F-1500M 2 F-2000M 2 KMD-700M 2 KMD-850M 2 KMD-901M**

22" Width
B-300PF/SF

NO TOP KIT
NEEDED

30" Width
B-250PF
B-500PF/SF

NEED HS-2033

NO TOP KIT
NEEDED

NEED HS-2129

44" Width
B-700PF/SF

NEED HS-2035

NEED HS-2034

NEED HS-2130
& HS-2034

NO TOP KIT
NEEDED

48" Width
B-800PF/SF

NEED HS-2035
& HS-2032

NEED HS-2034
& HS-2032

NEED HS-2131
& HS-2034/2032

NEED HS-2032

NO TOP KIT
NEEDED

48" Width
B-1150SS
B-1300SS

UNIVERSAL
TOP KIT
INCLUDED

UNIVERSAL
TOP KIT
INCLUDED

UNIVERSAL
TOP KIT
INCLUDED

N/A

UNIVERSAL
TOP KIT
INCLUDED

52" Width
B-900PF/SF

NEED HS-2035
& HS-2033

NEED HS-2035

NEED HS-2132
& HS-2035

NEED HS-2033

NEED HS-2032

60" Width
B-1500SS
B-1650SS

N/A

UNIVERSAL
TOP KIT
INCLUDED
NEED HS-2111

N/A

UNIVERSAL
TOP KIT
INCLUDED

UNIVERSAL
TOP KIT
INCLUDED

UNIVERSAL
TOP KIT
INCLUDED

30" Width
DB-200H

NEED HS-2036
(DB-TOP KIT)


NO TOP KIT
NEEDED

* Any KMS on bin application additionally requires HS-0224 (Mechanical Bin Control Extension)
Top Kit Extensions - HS-2129 - for use with B-500 bins
HS-2130 - for use with B-700 bins
HS-2131 - for use with B-800 bins
HS-2132 - for use with B-900 bins

**Excludes KMD-901MAH - Air-Cooled Model
2 KM-901 - NOT AVAILABLE



Hotel/Motel Sanitary Ice Cube Dispensing Bin



22 x 30 x 53"

DB-130H Series with application capacity of 130 Lbs. storage



DB-130H	115/60/1	215 Lbs.	-	\$4,220
----------------	----------	----------	---	----------------

Accommodates **KM-320M, KM-461M, KM-515M, KM-600M** or **KM-650M** Series Cubers

Painted 6" Flange Leg included

OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available

OPTIONAL Coin/Token Mechanism Kit

OPTIONAL Tokens - 100 per set

OPTIONAL Card Mechanism Kit (HS-2043)

OPTIONAL HS-2109 Chute/grill

Note: 90 Day Warranty on accessory parts

\$170
\$790
\$150
\$320
\$230



DIMENSIONS
W x D x H

MODEL
NUMBER


CONDENSING
UNIT

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)

REFRIGERANT


LIST F.O.B.
PTC



Hotel/Motel Sanitary Ice Cube Dispensing Bin

30 x 30 x 53"

DB-200H Series with application capacity of 200 Lbs. storage




DB-200H	115/60/1	240 Lbs.	-	\$4,790
Accommodates KML Series, KM-320M, KM-461M, KM-515M, KM-600M or KM-650M Series Cubers Painted 6" Leg included If KM-320M, KM-461M, KM-515M, KM-600M or KM-650M used , unit requires Top Kit - DB (HS-2036) OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available OPTIONAL Coin/Token Mechanism Kit OPTIONAL Tokens - 100 per set OPTIONAL Card Mechanism Kit (HS-2043) OPTIONAL HS-2109 Chute/grill Note: 90 Day Warranty on accessory parts				
				\$110
				\$130
				\$790
				\$150
				\$320
				\$230



KM Crescent Ice Cuber with Hotel/Motel Dispensing Bin

30 x 28 x 77"

DKM-500B Series with application capacity of 200 Lbs. storage



Height includes 6" legs

DKM-500BAH*	115/60/1	406 Lbs.	410 Lbs.	R-404	\$9,100
DKM-500BWH	115/60/1	439 Lbs.	372 Lbs.	R-404	\$9,100
DKM-500BAH is CEC Compliant 6" Legs included OPTIONAL 6" Casters - Set of 4 (HS-3586) OPTIONAL Water Valve Accessory (HS-2127)					\$330
					\$250



*DKM-500BAH is Energy Star certified



DKM Series ice production is calculated at 90° Air/ 70° Water

Ice/Water Dispensers

30 x 28 x 36 3/8"


DM-200B Ice & Water Dispenser Series with 200 lbs. of ice capacity



30 x 28 x 40 3/8"
*Height includes
4" optional legs


DM-200B	115-120/60/1	240 Lbs.	-	\$4,310
Unit supplied without legs Accommodates KML Series, KM-320M, KM-461M, KM-515M, KM-600M or KM-650M Series Cubers If KM-320M, KM-461M, KM-515M, KM-600M or KM-650M used , unit requires Top Kit - DB (HS-2036) OPTIONAL 4" Black Die Cast Leg Kit (DM Legs) OPTIONAL Machine Stand: SD-200				
				\$110
				\$80
				\$1350

Icemakers/Dispensers with Push Button Operation



16 9/16 x 24 3/16 x 31 7/8"


DCM-270B Icemaker & Dispenser Series with 8.8 lbs. of built-in storage



Height includes 4" legs


DCM-270BAH	Air-Cooled	115/60/1	282 Lbs.	165 Lbs.	R-404	\$6,000
4" Legs included OPTIONAL Stainless Steel Leg Package (LP-4 LEG) available OPTIONAL Machine Stand: SD-270 OPTIONAL Seismic Kit (HS-2070) OPTIONAL Wall Mount Kit (HS-2104)						
						\$110
						\$960
						\$80
						\$630





Icemakers/Dispensers with Push Button Operation...Cont'd


26 x 22 1/2 x 40"



DCM-500B Series with application capacity of 40 Lbs. storage

DCM-500BAH	Air-Cooled	115/60/1	535 Lbs.	276 Lbs.	R-404	\$9,250
DCM-500BWH	Water-Cooled	115/60/1	567 Lbs.	269 Lbs.	R-404	\$9,250
*DCM-230FE-UK	Air-Cooled	230/50/1	525 Lbs.	295 Lbs.	R-404	\$9,610
Unit supplied without legs:						
OPTIONAL 6" Painted Leg Package (LP-6P LEG) available						\$120
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130
OPTIONAL Machine Stand: SD-450 OR SD-500						\$940/1060
OPTIONAL Seismic Kit (HS-2066)						\$90
OPTIONAL Leg Seismic Kit (HS-2071)						\$260
*European Model - Special Order Only						

34 1/16 x 28 1/2 x 48 1/16"




DCM-750B Series with application capacity of 95 Lbs. storage

DCM-750BAH	Air-Cooled	115/60/1	803 Lbs.	405 Lbs.	R-404	\$13,400
DCM-750BWH	Water-Cooled	115/60/1	744 Lbs.	405 Lbs.	R-404	\$13,400
Unit supplied without legs:						
OPTIONAL 6" Painted Leg Package (LP-6P LEG) available						\$120
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130
OPTIONAL Machine Stand: SD-700 OR SD-750						\$1040/1350
OPTIONAL Seismic Kit (HS-2067)						\$130
OPTIONAL Leg Seismic Kit (HS-2072)						\$260

Icemakers/Dispensers with LED Sensor Operation

16 9/16 x 24 3/16 x 31 7/8"




Height includes
4" legs

DCM-270B OPTI-SERVE Series with 8.8 lbs. of built-in storage

DCM-270BAH-OS	Air-Cooled	115/60/1	288 Lbs.	165 Lbs.	R-404	\$6,000
4" Legs included						
OPTIONAL Stainless Steel Leg Package (LP-4 LEG) available						\$110
OPTIONAL Machine Stand: SD-270						\$960
OPTIONAL Seismic Kit (HS-2070)						\$80
OPTIONAL Wall Mount Kit (HS-2104)						\$630


26 x 22 1/2 x 40"



DCM-500B OPTI-SERVE Series with application capacity of 40 Lbs. storage

DCM-500BAH-OS	Air-Cooled	115/60/1	525 Lbs.	290 Lbs.	R-404	\$9,250
DCM-500BWH-OS	Water-Cooled	115/60/1	567 Lbs.	290 Lbs.	R-404	\$9,250
Unit supplied without legs:						
OPTIONAL 6" Painted Leg Package (LP-6P LEG) available						\$120
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130
OPTIONAL Machine Stand: SD-450 OR SD-500						\$940/1060
OPTIONAL Seismic Kit (HS-2066)						\$90
OPTIONAL Leg Seismic Kit (HS-2071)						\$260

34 1/16 x 28 1/2 x 48 1/16"



DCM-750B OPTI-SERVE Series with application capacity of 95 Lbs. storage

DCM-750BAH-OS	Air-Cooled	115/60/1	803 Lbs.	420 Lbs.	R-404	\$13,400
DCM-750BWH-OS	Water-Cooled	115/60/1	744 Lbs.	420 Lbs.	R-404	\$13,400
Unit supplied without legs:						
OPTIONAL 6" Painted Leg Package (LP-6P LEG) available						\$120
OPTIONAL 6" Stainless Steel Leg Package (LP-6 LEG) available						\$130
OPTIONAL Machine Stand: SD-700 OR SD-750						\$1040/1350
OPTIONAL Seismic Kit (HS-2067)						\$130
OPTIONAL Leg Seismic Kit (HS-2072)						\$260

DIMENSIONS
W x D x H

MODEL
NUMBER


CONDENSING **ELECTRICAL**
UNIT

LBS. OF ICE
PER 24 HRS.

SHIPPING
WEIGHT (LBS.)

REFRIGERANT

LIST F.O.B.
PTC



Icemakers/Dispensers with LED Sensor Operation...Cont'd

21 x 22¹/₂ x *72¹/₂"

DT-400B Icemaker & Dispenser Series with 40 lbs. of built-in storage



DT-400BAH-OS	Air-Cooled	115/60/1	409 Lbs.	308 Lbs.	R-404	\$9,900
6" Legs included						

*Height includes 6" legs




DT Series ice production is calculated at 70° Air / 50° water

Machine Stands

30 x 28 x *32¹³/₁₆"


DM-200 Series Machine Stand



SD-200	Use with DM-200 Series	125 Lbs.	\$1,350
Doors Standard, Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

16¹/₂ x 24 x *35³/₁₆"


DCM-270 Series Machine Stand



SD-270	Use with DCM-270 Series	95 Lbs.	\$960
Doors Standard, Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

26¹/₄ x 22 x *32¹/₂"

DCM-500 Series Machine Stand



SD-450	Use with DCM-500 Series	110 Lbs.	\$940
Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

25⁷/₈ x 22 x *32³/₄"


DCM-500 Series Machine Stand



SD-500	Use with DCM-500 Series	100 Lbs.	\$1,060
Doors Standard, Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

34¹/₄ x 28¹/₄ x *32¹/₂"


DCM-750 Series Machine Stand



SD-700	Use with DCM-750 Series	165 Lbs.	\$1,040
Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

34 x 28 x *32³/₄"

DCM-750 Series Machine Stand



SD-750	Use with DCM-750 Series	125 Lbs.	\$1,350
Doors Standard, Painted Flange Leg included OPTIONAL 6" Stainless Steel Flange Leg Package (LP-6 FLANGE LEG) available			\$170

*Height includes 6" legs
on all models shown



DIMENSIONS
W x D x H

MODEL
NUMBER

CONDENSING **ELECTRICAL**
UNIT

LBS. OF ICE
PER 24 HRS.


SHIPPING
WEIGHT (LBS.)

REFRIGERANT

LIST F.O.B.
PTC

Counter-Top Refrigerated Display Merchandiser

35⁷/₁₆ x 15³/₈ x 29¹/₈"



KD-90D Series Glass Display Merchandiser

KD-90D

145 Lbs.


R-134A

\$4,750

Not intended for use as a service cabinet. For display only.



NSF/UL APPROVED HNC Series Glass Display Merchandiser



(4 Foot) HNC-120 47¹/₄ x 13⁵/₈ x 11"
(5 Foot) HNC-150 59¹/₁₆ x 13⁵/₈ x 11"
(6 Foot) HNC-180 70⁷/₈ x 13⁵/₈ x 11"
(7 Foot) HNC-210 82¹¹/₁₆ x 13⁵/₈ x 11"

HNC-120AA-R	Air-Cooled	115/60/1	—	90 Lbs.	R-134A	\$3,710
HNC-120AA-L	Air-Cooled	115/60/1	—	90 Lbs.	R-134A	\$3,710
HNC-150AA-R	Air-Cooled	115/60/1	—	105 Lbs.	R-134A	\$4,020
HNC-150AA-L	Air-Cooled	115/60/1	—	105 Lbs.	R-134A	\$4,020
HNC-180AA-R	Air-Cooled	115/60/1	—	120 Lbs.	R-134A	\$4,500
HNC-180AA-L	Air-Cooled	115/60/1	—	120 Lbs.	R-134A	\$4,500
HNC-210AA-R	Air-Cooled	115/60/1	—	135 Lbs.	R-134A	\$4,980
HNC-210AA-L	Air-Cooled	115/60/1	—	135 Lbs.	R-134A	\$4,980

"R" - Condensing Unit is on RIGHT from front view
"L" - Condensing Unit is on LEFT from front view
Not intended for overnight storage. NSF Standard 7



US LISTED



HOSHIZAKI WATER FILTRATION *

Product Configuration	Hoshizaki HC Filter Class 1 T & O Coarse Filtration			Hoshizaki HF Filter Class 1 T&O Class 1 Filtration		
	Part Number		Price	Part Number		Price
	HC	HC-H		HF	HF-H	
Single	9320-11	9320-21H	\$370	9326-01	9326-11H	\$380
Twin	9320-12	9320-22H	\$640	9326-02	9326-12H	\$660
Triple	9320-13	9320-23H	\$1030	9326-03	9326-13H	\$1050
Quad		N/A		9326-04	9326-14H	\$1460
Replacement Cartridge each	9655-01	9655-07H	\$130	9656-01	9656-11H	\$140
Replacement Cartridge 6 pk.	9655-06	9655-08H	\$630	9656-06	9656-16H	\$730



* 2008 - (-H) Hoshizaki water filtration systems will include HoshiGuard Antimicrobial Agent. Call factory for more information during this transitional period.

PRE-FILTERS

Pre-Filter Systems	Part Number	Price
E-10 Prefilter - 10"	9795-80	\$150
E-20 Prefilter - 20"	9795-90	\$210

PRE-FILTER CARTRIDGE

Replacement Cartridges	Part Number	Price
EC110 (40 Pack)	9534-40	\$260
EC110 (12 Pack)	9534-12	\$120
EC210 (20 Pack)	9534-20	\$280
EC210 (6 Pack)	9534-26	\$110

FILTRATION APPLICATION GUIDE

Size	Hoshizaki HC Filter Class 1 Taste & Odor Coarse Filtration	Hoshizaki HF Filter Class 1 T & O Class 1 Filtration
Up to 250 lbs.	Single	Single
250 - 500 lbs.	Single	Twin
630 lbs.	Single	Twin
700 - 900 lbs.	Twin	Triple
900 - 1,250 lbs.	Twin	Triple
1,300 - 2,400 lbs.	Triple	Quad

FLAKER APPLICATION

Up to F-1001	—	Single
F-1500, F-2000	—	Twin

Hoshizaki America, Inc.

"A Superior Degree of Reliability"

HOSHIZAKI AMERICA, INC.

618 Highway 74 South | Peachtree City, GA 30269

Tel: (800) 438-6087 | (770) 487-2331

Fax: (800) 345-1325 | (770) 487-1325

Service Number: (800) 233-1940

www.hoshizaki.com

EQUIPMENT PRICE LIST

