

HR 1934-2 LP

36 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



- Multicolored TFT touch display with clear text - M Touch
- Plenty of space for cooking - six powerful burners
- Perfect baking and roasting results - Moisture plus
- Ergonomic and easy operation - motorized lift-up control panel
- Precise cooking temperature – Wireless Precision Probe

EAN: 4002516103783 / material number: 10902390

Construction type	
Range	•
Appliance width in inches	36
Type of heating	
Dual fuel	•
Gas type	Liquid gas
Design	
Appliance color	Clean Touch Steel
Oven display	M Touch
Convenience features	
Precise temperature control	75-575°F
Wireless Precision Probe	•
Crisp function	•
Operating modes	
Defrost	•
MasterChef automatic programs	80
MasterChef Plus automatic programs	15
Auto roast	•
Gentle bake	•
Maxi Broil	•
Broil	•
Convection Bake	•
Intensive	•
Moisture plus	•
Slow roast	•
Surround	•
Browning	•
Bake	•
Convection Roast	•
Special modes	•
Cooktop features	
Number of gas burners	6
Number of simmer burners	1 x 12.500
Number of simmer burners	2 x 13.000
Number of simmer burners	3 x 19.500
True Simmer function	•
GasStop	•
ReStart	•

HR 1934-2 LP

36 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Control panel	
Precision knobs	•
Illuminated knob	•
ComfortSwivel handle	•
Motorized lift-up control panel	•
Sabbath program	•
MultiLingua	•
MyMiele	•
Time of day display	•
Date display	•
Minute minder	•
Time buffer in h	200
Automatic switch-off	•
Programmable cooking time	•
Actual temperature display	•
Default temperatures	•
Acoustic signal when desired temperature is reached	•
Favorites	20
Individual settings	•
Timed bursts of steam	•
Door	
CleanGlass door	•
Door contact switch	•
SoftClose oven door/ SoftOpen	•
Cavity	
Oven cavity volume in cu. ft. (l)	5.76 (163)
Number of oven shelf levels	6
No. of halogen lamps	double
TwinPower hot air fans	•
Cleaning convenience	
Stainless-steel front with partial Clean Touch Steel finish	•
Oven with self-cleaning program	•
AirClean catalyzer	•
Broil element can be lowered	•
ComfortClean dishwasher-safe grates	•
Cooktop surface	Black enamel
Efficiency and sustainability	
Energy-saving lighting circuit	•
Residual heat utilization	•
Safety	
Appliance cooling system with cool touch front	•
Safety cut-out	•
System lock	•
Door contact switch	•
Door lock during self cleaning	•

HR 1934-2 LP

36 inch range

Dual Fuel with M Touch controls, Moisture Plus and M Pro dual stacked burners



Technical data	
Appliance width in inches	35 15/16
Appliance width in in.(mm)	915
Appliance height in in.(mm)	37 1/8 (942)
Appliance depth in in. (depth) with bullnose	27 1/2 (698)
Electric total rated load in kW	6.7
Power Rating in V	120
Convertible voltage in V	240/208
Fuse rating in A	30
Number of phases	1
Fresh water connection for Moisture Plus	•
Standard accessories	
Anti-splash insert	1
PerfectClean universal baking tray	1
Self Clean ready baking and roasting rack	1
Self clean ready baking and roasting racks with rail system	1