



24" SIGNATURE SERIES DUAL-ZONE
Freezer/Refrigerator Drawers



eco friendly
R600a Refrigerant



JOB	
AREA	
ITEM NO.	
MODEL NO.	



Drawer Model

MODELS	DESCRIPTION
HP24ZS-4-5	Indoor Signature Series Dual Zone Refrigerator & Freezer Stainless Steel Drawers
HP24ZS-4-6	Indoor Signature Series Dual Zone Refrigerator & Freezer Panel Ready Drawers
HP24ZO-4-5	Outdoor Signature Series Dual Zone Refrigerator & Freezer Stainless Steel Drawers
HP24ZO-4-6	Outdoor Signature Series Dual Zone Refrigerator & Freezer Panel Ready Drawers
HP24ZM-4-5	Marine Signature Series Dual Zone Refrigerator & Freezer Stainless Steel Drawers
HP24ZM-4-6	Marine Signature Series Dual Zone Refrigerator & Freezer Panel Ready Drawers

KEY PRODUCT FEATURES AND BENEFITS

- Patented dual zone technology store fresh and frozen foods at their appropriate temperatures – independently controlled zones can be set to properly store variety of fresh and frozen foods or beverages
- 1000 BTU/hr capacity delivers industry's most energy efficient cool down, indoors or outdoors
- Variable speed compressor minimizes sound, up to 30% quieter than competitive brands
- Commercial-grade all stainless steel interior and exterior provides superior durability and easy cleaning
- Perlick Anti-Condensation System™ eliminates condensation from forming on the cabinet (Outdoor and Marine models only)
- Marine & Coastal Grade with Perlick Armor™ upgrades stainless steel, fasteners, and refrigeration system to the highest blend of corrosion resistance and food safety

Quick Features:

- Smooth glide self-closing drawers offer high storage capacity
- NSF Rated drawer pans available to keep fresh cut ingredients ready for quick access in food grade commercial drawer pans
- Industry's best full 6 year warranty for owner ease of mind
- All models available with stainless steel or panel ready door to match your design style
- Audible door alarm warns user if door is left open
- White LED task lighting illuminates cabinet when drawers are opened
- R600a Natural Refrigerant – maximum energy efficiency with zero global warming impact



24" SIGNATURE SERIES DUAL-ZONE
Freezer/Refrigerator Drawers

MODEL NUMBERS		HP24ZS	HP24ZO	HP24ZM
MODEL DESCRIPTION		24" Indoor Freezer Drawers	24" Outdoor Freezer Drawers	24" Marine/Coastal Freezer Drawers
ATTRIBUTES				
Perlick Anti-Condensation System		NO	YES	YES
Perlick Armor™		NO	NO	YES
OVERALL DIMENSIONS	Width - in. (mm)	23-7/8" (606 mm.)	23-7/8" (606 mm.)	23-7/8" (606 mm.)
	Depth - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Height - in. (mm)	34-1/4" (870 mm.)	34-1/4" (870 mm.)	34-1/4" (870 mm.)
OPENING DIMENSIONS	Width - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Depth - in. (mm)	24-7/8" (632 mm.)	24-7/8" (632 mm.)	24-7/8" (632 mm.)
	Height - in. (mm)	34-1/2" (876 mm.)	34-1/2" (876 mm.)	34-1/2" (876 mm.)
INTERNAL VOLUME Net. Cu. Ft.		5.0 cu. ft.	5.0 cu. ft.	5.0 cu. ft.
SHIPPING WEIGHT Lbs. (kg.)		144 lbs (100.7 kg.)	144 lbs (100.7 kg.)	144 lbs (100.7 kg.)
ELECTRICAL SPECIFICATIONS	Electrical Supply	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph
	Running Load Amps	2.2 amps	2.2 amps	2.2 amps
	Electrical Connection	Cord connected	Cord connected	Cord connected
	Cord Plug Type	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P
	Cord Length	6'	6'	6'
	Defrost Initiation	Time	Time	Time
	Defrost Type	Hot Gas	Hot Gas	Hot Gas
	Thermostat	Digital	Digital	Digital
	Lighting Type	LED	LED	LED
REFRIGERATION SPECIFICATIONS	Refrigerant	R600a (57g)	R600a (57g)	R600a (57g)
	Expansion Device	Capillary Tube	Capillary Tube	Capillary Tube
	Temperature Settings F°(C°)	-10° (-23.3°) - 10° (-12.2°) Factory Set Point 0° (-17.8°)	-10° (-23.3°) - 10° (-12.2°) Factory Set Point 0° (-17.8°)	-10° (-23.3°) - 10° (-12.2°) Factory Set Point 0° (-17.8°)
	Heat Rejection (at 75°F)	700 BTU/hr	700 BTU/hr	700 BTU/hr
	Pull Down Capacity	1000 BTU/hr	1000 BTU/hr	1000 BTU/hr
	Front Vented	Yes	Yes	Yes
PLUMBING		None Required	None Required	None Required

Installation Notes: To achieve 24" install depth, place electrical connection adjacent to the installation cavity.

ACCESSORIES

MODEL NOS.	DESCRIPTION
(DL)	Add DL to end of model number
RS-SK-24L/R	Stacking Kit for HP24/HC24/HA24 models
66736	Caster Kit for HP24/HC24/HA24 models
RK24DP	Drawer Pan Tray (3 SS pans with covers)

Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit perlick.com.

Perlick® 24" SIGNATURE SERIES DUAL-ZONE
Freezer/Refrigerator Drawers

	CUSTOMER MODEL NUMBER	REGULATORY MODEL NUMBER	Door Type	Hinge Side	Lock
INDOOR	HP24ZS-4-5	HP24ZS4G-00-EDF0D	Drawers Stainless Steel	Drawers	No
	HP24ZS-4-6	HP24ZS4G-00-DD00D	Drawers Panel Ready	Drawers	No
	HP24ZS-4-5DL	HP24ZS4G-00-EDFLD	Drawers Stainless Steel	Drawers	Yes
	HP24ZS-4-6DL	HP24ZS4G-00-DD0LD	Drawers Panel Ready	Drawers	Yes
OUTDOOR	HP24ZO-4-5	HP24ZO4G-00-EDF0D	Drawers Stainless Steel	Drawers	No
	HP24ZO-4-6	HP24ZO4G-00-DD00D	Drawers Panel Ready	Drawers	No
	HP24ZO-4-5DL	HP24ZO4G-00-EDFLD	Drawers Stainless Steel	Drawers	Yes
	HP24ZO-4-6DL	HP24ZO4G-00-DD0LD	Drawers Panel Ready	Drawers	Yes
MARINE & COASTAL	HP24ZM-4-5	HP24ZM4G-00-EDF0D	Drawers Stainless Steel	Drawers	No
	HP24ZM-4-6	HP24ZM4G-00-DD00D	Drawers Panel Ready	Drawers	No
	HP24ZM-4-5DL	HP24ZM4G-00-EDFLD	Drawers Stainless Steel	Drawers	Yes
	HP24ZM-4-6DL	HP24ZM4G-00-DD0LD	Drawers Panel Ready	Drawers	Yes

